



# 2020 SUZUKI GENUINE MARINE PARTS & ACCESSORIES CATALOG



# **SUZUKI**

## **PARTS & ACCESSORIES**

Dear Customer,


The Suzuki Genuine Accessories Catalog provides information on the highest quality accessories, specific to your outboard engine and application. We strive to bring you only the highest quality parts to ensure your outboard will run flawlessly for years to come. We recommend only using Suzuki Genuine Accessories on your Suzuki outboard. We never compromise over quality and you shouldn't compromise your boating experience with anything but Suzuki Genuine Accessories. Suzuki is on the forefront of innovation and have the accessories to prove it. If you are thinking of bringing the foremost of technology to your boat, think Suzuki. Pair your Suzuki outboard with our dependable instruments and gauges, custom-engineered propellers, and durably designed rigging items for optimum performance and reliability. Take your time reading through our catalog, and don't hesitate to visit our website or an Authorized Suzuki Marine Dealer.

Thank you,

**Suzuki Parts & Accessories**

**[www.suzukimarine.com](http://www.suzukimarine.com)**

# TABLE OF CONTENTS

	<b>Digital Controls</b>	<b>4</b>
	<b>Mechanical Controls</b>	<b>12</b>
	<b>Multi-Function Gauge</b>	<b>14</b>
	<b>Multi-Function Display</b>	<b>24</b>
	<b>Digital Instruments</b>	<b>26</b>
	<b>Analog Instruments</b>	<b>28</b>
	<b>Cables &amp; Rigging</b>	<b>32</b>
	<b>Steering</b>	<b>34</b>
	<b>Fuel System</b>	<b>36</b>
	<b>Propellers</b>	<b>38</b>
	<b>DF300B &amp; DF350 Propellers and Tools</b>	<b>42</b>
	<b>Repair Kits &amp; Anodes</b>	<b>44</b>
	<b>Ecstar Oils &amp; Chemicals</b>	<b>46</b>
	<b>Maintenance &amp; Care</b>	<b>50</b>
	<b>Engine Covers</b>	<b>54</b>
	<b>Marine Style</b>	<b>56</b>
	<b>Gifts &amp; Collectibles</b>	<b>66</b>
	<b>Application Chart</b>	<b>70</b>



# DIGITAL CONTROLS



Suzuki's flagship DF350A 4-stroke leads in power, performance and technology. The following are some high-tech items to help take advantage of Suzuki's leading edge technology.

## Suzuki Precision Control (SPC) Electronic Throttle and Shift Systems

For DF150AP/175AP/200AP/250AP/300A/300B/350A



**Single Engine SPC Box Only**  
(Replacement Units)

67200-98J05 Single Engine SPC Box only



**Dual/Triple/Quad Engine SPC Box Only**  
(Replacement Units)

67200-98J15 Dual/Triple/Quad Engine SPC Box only



**Flush Mounts SPC Box Only**  
(Replacement Units)

67200-98J24 Flush Mount SPC Box only



### Suzuki Precision Maneuvering

- Touch the future with Suzuki's Precision Maneuvering System and enjoy confident intuitive joystick control.
- Designed exclusively for Suzuki outboards with Suzuki Precision Controls, including the new DF150AP, DF175AP, DF200AP, DF250AP, DF300B, and DF350A.
- Experience parallel parking without a thruster.
- Confidently pilot your boat around crowded docks, at waterfront restaurants and at the launch ramp.
- Now available for twin, triple, and quad installations.
- See your Local Authorized Suzuki SeaStar Installation Center for more details.



SUZUKI

# SUZUKI PRECISION CONTROL | BASIC COMPONENTS

1 Binnacle Mount R/C Box



Flush Mount R/C Box



2 Single Engine Control Panel




3 Main Switch Panel



4 Troll Mode Control Switch



5 Buzzer



6 Boat Control Module



BCM Holder (L/R)



BCM Connect Cap



BCM Cushion



7 Terminal Resistor



8 Battery Sub-Lead



9 BCM #1 Wiring Harness



10 Dual Station Wiring Harness



11 BCM #2 Wiring Harness



12 Emergency Switch Panel





13 Main Wiring Harness



Main Wiring Harness Extension



# SINGLE ENGINE SPC KITS




## SINGLE ENGINE SPC KITS

			67000-98JM3 Flush-Mount Station Kit	67000-98JE5 Single Station Binnacle Kit	67000-98JF4** Second Station Kit**
1	67200-98J05	Binnacle-Mount R/C Box		1	1
	67200-98J24	Flush-Mount R/C Box	1		
2	37100-98J11	Single Engine Control Panel Assy	1	1	1
3	37100-98J06	Main Power Key Switch Assy	1	1	
4	37860-87L00	Troll Mode Control Switch	1	1	1
5	38500-93J90	Warning Buzzer	1	1	1
	09407-08401	Warning Buzzer Clamp	1	1	1
6	36770-98J13	Boat Control Module (BCM)	1	1	1
	36775-98J00	BCM Holder (L)	1	1	1
	36776-98J00	BCM Holder (R)	1	1	1
	33911-88BLO	BCM-Connect Cap	1	1	1
	33925-93J00	BCM Cushion	1	1	1
7	33926-98J00	Terminal Resistor	2	2	
8	36625-98J10	Battery Sub-Lead	1	1	
9	36623-98J20	BCM #1 Wiring Harness	1	1	
10	36622-98J00	Dual Station Main Harness			1
11	36624-98J02	BCM #2 Wiring Harness			1
12	37803-93J05	Emergency Switch Panel			1
-	09403-13402	Harness Clamp	10	10	10
13	36620-98J31	Main Wiring Harness 21ft./6.5m			
	36620-98J41	Main Wiring Harness 31ft./9.5m	1*	1*	
	36620-98J51	Main Wiring Harness Extension 6.5ft./2.0m			2*

\* Items not included in Kits. Please purchase items separately.

\*\*Order Single Station Kit in addition to Second Station Kit to complete.

# DUAL ENGINE SPC KITS



## INSTALLATION PARTS DIFFERENT FROM SINGLE ENGINE

1 Binnacle Mount R/C Box



2 Dual Engine Control Panel



12 Emergency Switch Panel



14 Engine Wiring Harness



## DUAL ENGINE SPC KITS


			67000-98JG5 Single Station Kit	67000-98JH4** Second Station Kit**
1	67200-98J15	Dual Binnacle-Mount R/C Box	1	1
2	37100-98J21	Dual Engine Control Panel Assy	1	1
3	37100-98J06	Main Power Key Switch Assy	1	
4	37860-87L00	Troll Mode Switch Panel	1	1
5	38500-93J90	Warning Buzzer	1	1
	09407-08401	Warning Buzzer Clamp	1	1
6	36770-98J13	Boat Control module (BCM)	1	1
	36775-98J00	BCM Holder (L)	1	1
	36776-98J00	BCM Holder (R)	1	1
	33925-93J00	BCM Cushion	1	1
7	33926-98J00	Terminal Resistor	2	
8	36625-98J10	Battery Sub-Lead	1	
9	36623-98J30	BCM #1 Wiring Harness	1	
10	36622-98J00	Dual Station Main Harness		1
11	36624-98J11	BCM #2 Wiring Harness		1
12	37803-93J06	Emergency Stop Switch Panel		1
13	36620-98J31	Main Wiring Harness 21ft./6.5m		
	36620-98J41	Main Wiring Harness 31ft./9.5m	1*	2*
	36620-98J51	Main Wiring Harness Extention 6.5ft./2.0m		
14	36621-98J00	Dual Engine Single Station Harness	1	
-	09403-13402	Harness Clamp	15	10
-	36612-98J20	Counter Rotation Connector	1	0

\* Items not included in Kits. Please purchase items separately.

\*\*Order Single Station Kit in addition to Second Station Kit to complete.



# TRIPLE ENGINE SPC KITS



## INSTALLATION PARTS DIFFERENT FROM SINGLE ENGINE

1 Binnacle Mount R/C Box



2 Triple Engine Control Panel



12 Emergency Switch Panel



14 Engine Wiring Harness



## TRIPLE ENGINE SPC KITS


			67000-98JJ5 Single Station Kit	67000-98JK4** Second Station Kit**
1	67200-98J15	Dual Binnacle-Mount R/C Box	1	1
2	37100-98J31	Triple Engine Control Panel Assy	1	1
3	37100-98J06	Main Power Key Switch Assy	1	
4	37860-87L00	Troll Mode Switch Panel	1	1
5	38500-93J90	Warning Buzzer	1	1
	09407-08401	Warning Buzzer Clamp	1	1
6	36770-98J13	Boat Control module (BCM)	1	1
	36775-98J00	BCM Holder (L)	1	1
	36776-98J00	BCM Holder (R)	1	1
	33925-93J00	BCM Cushion	1	1
7	33926-98J00	Terminal Resistor	2	
8	36625-98J10	Battery Sub-Lead	1	
9	36623-98J30	BCM #1 Wiring Harness	1	
10	36622-98J00	Dual Station Main Harness		1
11	36624-98J11	BCM #2 Wiring Harness		1
12	37803-93J06	Emergency Switch Panel		1
13	36620-98J31	Main Wiring Harness 21ft./6.5m		
	36620-98J41	Main Wiring Harness 31ft./9.5m	1*	2*
	36620-98J51	Main Wiring Harness Extension 6.5ft./2.0m		
14	36621-98J10	Triple Engine Single Station Harness	1	
-	09403-13402	Harness Clamp	18	10
-	36612-98J20	Counter Rotation Connector	1	0

\* Items not included in Kits. Please purchase items separately.

\*\*Order Single Station Kit in addition to Second Station Kit to complete.



# QUAD ENGINE SPC KITS



## INSTALLATION PARTS DIFFERENT FROM SINGLE ENGINE

1 Binnacle Mount R/C Box



2 Dual Engine Control Panel



12 Emergency Switch Panel



14 Engine Wiring Harness



## QUAD ENGINE SPC KITS

			67000-98J75 Single Station Kit	67000-98J85** Second Station Kit**
1	67200-98J15	Dual Binnacle-Mount R/C Box	1	1
2	37100-98J21	Dual Engine Control Panel Assy	2	2
3	37100-98J06	Main Power Key Switch Assy	1	
4	37860-87L00	Troll Mode Switch Panel	1	1
5	38500-93J90	Warning Buzzer	2	2
	09407-08401	Warning Buzzer Clamp	2	2
6	36770-98J22	Boat Control module (BCM)	2	2
	36775-98J00	BCM Holder (L)	2	2
	36776-98J00	BCM Holder (R)	2	2
	33925-93J00	BCM Cushion	2	2
7	33926-98J00	Terminal Resistor	4	
8	36625-98J10	Battery Sub-Lead	2	
9	36623-98J40	BCM Quadruple Wiring Harness	1	1
10	36622-98J00	Dual-Station Harness		2
12	37803-93J06	Emergency Switch Panel		1
13	36620-98J31	Main Wiring Harness 21ft./6.5m		
	36620-98J41	Main Wiring Harness 31ft./9.5m		
	36620-98J51	Main Wiring Harness Extension 6.5ft./2.0m	1*	2*
14	36622-98J00	Dual Station Main Harness		2
-	09403-13402	Harness Clamp	20	15
-	36612-98J20	Counter Rotation Connector	1	0

\* Items not included in Kits. Please purchase items separately.

\*\*Order Single Station Kit in addition to Second Station Kit to complete.



# SUZUKI PRECISION CONTROL

Suzuki's flagship DF350A 4-stroke leads in power, performance and technology. Following are some high-tech items to help take advantage of Suzuki's leading edge technology.

For 150AP/175AP/200AP/250AP/300A/300B/350A.



## CONTROL PANEL ASSEMBLIES

### Triple Engine Control Panel Assembly

<b>37100-98J31</b>	Triple Engine Control Panel Assembly
--------------------	--------------------------------------

### Counter Rotation Adapter (not shown)

<b>36612-98J10</b>	Regular Rotation Selector
--------------------	---------------------------

<b>36612-98J20</b>	Counter Rotation Selector
--------------------	---------------------------



### Emergency Stop Switch Panel Assembly

Includes: Emergency Stop Switch with Panel and Lanyard. Required at each station.

<b>67803-93J06</b>	Emergency Stop Switch Panel Assembly
--------------------	--------------------------------------



### Main Power Key Switch Assembly

Main Power Key Switch required for use with switch control panels listed above. Includes key.

<b>37100-98J06</b>	Main Power Key Switch Assembly
--------------------	--------------------------------

SUZUKI



### Single Engine Control Panel Assembly

**37100-98J11**

Single Engine Control Panel Assembly

### Dual/Quad Engine Control Panel Assembly

**37100-98J21**

Dual Engine Control Panel Assembly

**37100-98J21**

Quad Engine Control Panel Assembly (2 required)



### Replacement Wiring Harness (not shown)

**36621-98J00**

Dual Engine Single Station Harness

**36621-98J10**

Triple Engine Single Station Harness

**36622-98J00**

Dual Station Main Harness

**36770-98J22**

Boat Control Module (BCM) Quad Engine



### BCM Harness

**36623-98J20**

BCM Harness No. 1 for Single Engine Single Station

**36623-98J30**

BCM Harness No. 1 for Multiple Engines Single Station

**36624-98J02**

BCM Harness No. 2 for Single Engine Second Station

**36624-98J11**

BCM Harness No. 2 for Multiple Engine Second Station

**36623-98J40**

BCM Quadruple Harness



### Battery Sub-Lead

**36625-98J10**

For all AP Models DF150 - DF350



### Battery Isolator Lead Sets

Used for charging auxiliary battery.

**33830-98J02**

DF300 2007-2011 only

**33830-98J11**

DF150/150AP/175/175AP/200AP/250AP/300A/300AP/350A

### Wiring Harnesses

Main Wiring Harness. Order length as needed for rigging applications.



**36620-98J31**

21' (6.5m) Wiring Harness

**36620-98J41**

31' (9.5m) Wiring Harness



**36620-98J51**

6.5' (2m) Wiring Harness Extension (Optional; order as needed)

# MECHANICAL CONTROLS



Suzuki Genuine Control Boxes are designed for longevity and ease of use.

Choose a control box that fits your application. We offer a Single Binnacle Control Box for your top of the line

Suzuki Outboard, or choose a Dual Binnacle Control Box to manage 2 Suzuki Outboards masterfully. Suzuki Genuine Control Boxes define accuracy, user-friendliness and durability.



## Single Binnacle Control Box Kit

Single Binnacle Control Box uses a convenient thumb-operated power trim and tilt switch, push-button shifting disengagement for faster warm-ups and built-in neutral safety switch. Kit includes items listed. \*Main Wiring Harness must be ordered separately, see next page.

<b>67000-88L02*</b>	Single Binnacle Control Box Kit
---------------------	---------------------------------

### Includes:

<b>37100-96J26</b>	Ignition Switch Panel with Emergency Stop and Warning Buzzer Assembly
<b>67200-88L00</b>	Single Binnacle Control Box Assembly



## Dual Binnacle Control Box Kit

Dual Binnacle Control Box includes the same features as the Single Binnacle Control Box, plus a unique base mounted PTT system allowing you to trim the motors individually then adjust them together for maximum performance. Kit includes items listed.

\*Main Wiring Harness must be ordered separately, see next page.

<b>67000-88L12</b>	Dual Binnacle Control Box Kit
--------------------	-------------------------------

### Includes:

<b>37100-96J16</b>	Dual Ignition Switch with Emergency Stop
<b>38500-92X50</b>	Warning Buzzers (2)
<b>67200-88L11</b>	Dual Binnacle Control Box Assembly

## Replacement Control Boxes

<b>67200-88L00</b>	Single Binnacle Control Box '05 - Current
<b>67200-88L11</b>	Dual Binnacle Control Box '05 - Current
<b>67200-93J33</b>	Flush Mount Control Box '05 - Current

## Flush Mount Binnacle Control Box Kit

Suzuki's top quality Flush Mount Control Box features include a smooth action, thumb control power trim and tilt switch, a push button to disengage the shifting for faster warm-ups and a built-in neutral safety switch. Reversible for left hand installations. Kit includes items listed.

\*Main Wiring Harness must be ordered separately, see below.

<b>67000-93J29*</b>	Flush Mount Binnacle Control Box Kit
<b>Includes:</b>	
<b>37100-96J26</b>	Ignition Switch Panel with Emergency Stop and Warning Buzzer Assembly
<b>67200-93J33</b>	Flush Mount Control Box



## Miscellaneous Components

<b>38500-92X50</b>	Warning Buzzer.
<b>36620-93J20</b>	Control Box Adaptor Harness. Adapts 2005+ model control box with square connector to 2004 and earlier motors with round connector.
<b>36620-93J30</b>	Control Box Adaptor Harness. Adapts 2005+ model engine with square connector to 2004 and earlier harness with round connector.



<b>67500-88L00</b>	Single Binnacle Control Box Spacer
--------------------	------------------------------------

<b>67500-88L10</b>	Dual Binnacle Control Box Spacer
--------------------	----------------------------------

## Wiring Harnesses

Analog Wiring Harnesses.

<b>36620-89L00</b>	21' Wiring Harness (NON PT or PTT)
<b>36620-93J52</b>	16' Wiring Harness (PT or PTT)
<b>36620-93J02</b>	21' Wiring Harness (PT or PTT)
<b>36620-93J62</b>	26' Wiring Harness (PT or PTT)



## Side Mount Control Box Kits

Side Mount Control Boxes can be tailored to your needs. Standard features include a fast idle lever for easy warm-ups, a key-type ignition switch, and an emergency stop switch. \*Main Wiring Harness must be ordered separately, see below.

<b>67200-94J30</b>	DF8A thru DF30A	Single Engine With Buzzer
<b>67200-93J60</b>	DF9.9B thru DF250	Single Engine With PTT Switch



# SUZUKI MULTI-FUNCTION GAUGE

## Multi-Function Gauge - SMG4

When you're on the water, it's vital that you can get the information you need about your engine's condition and performance whenever you need it. That's exactly the thinking behind our Suzuki Multi-Function Gauge.

### All the Information in One Place

This brilliantly simple technology gives you the right information at the right time, all on one user friendly, highly intuitive screen. You can view a wide range of important information including engine RPM, speed, trim angle, engine temp, and fuel economy. You'll also receive alerts from the engine's sensors and warning systems. All you need for effortless and relaxing boating in one simple, reassuring, and reliable device.

#### ANALOG TACHOMETER & SPEED MODE



\* Speed sensor or GPS module will be required in order to display the speed.

#### DIGITAL TACHOMETER MODE



- Fuel flow (instantaneous)
- Mileage (instantaneous and average)
- Trip time, Trip distance

## Display Modes

You can operate your Multi-Function Gauge in either digital or analog display mode depending on which you prefer.

Plus the day and night settings mean you can use the gauges at any time. You can also zoom in on individual elements of the display, making it even easier to use.

### ANALOG TACHOMETER & SPEED



### ANALOG SPEED (NIGHT)



### ANALOG TACHOMETER



### DIGITAL TACHOMETER & SPEED



### DIGITAL (NIGHT)



### FUEL MODE



### TROLL MODE



## New Troll Mode Function

Allows you to control your troll mode from the Multi-Function Gauge.

This function is available from 2019 model years and up. Can only be used by models which are adapted to troll mode.

# DIAGNOSTIC MOBILE APP

## New Advanced Service Tool

Our new Suzuki Diagnostic System Mobile (SDS Mobile) App lets you send your Suzuki Authorized Dealer all the technical information they need to service and maintain your outboard instantly and easily.



SDS Mobile works in tandem with our new Multi-Function Gauge and new Multi-Function Display. Simply download the App, available on iOS and Android, to your smartphone: you don't need a

separate device. When you email your QR code to the dealer, the data will be transferred directly - including engine serial number, number of hours since last oil change, and total hours of operation at different RPM.

## How It Works

1. The outboard sends engine data and converts it into a QR code displayed on the Multi-Function Gauge or Multi-Function Display.
2. With the SDS Mobile App, you can then scan the QR code on the Multi-Function Gauge or Multi-Function Display with your phone. The engine data will be stored on your smart phone.
3. You can then send the engine data via email to your Suzuki Dealer.



## DOWNLOAD THE APP FROM



Apple and Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.

Google Play and the Google Play logo are trademarks of Google LLC. SDS Mobile App and Email Service is entirely free of charge.

16

SUZUKI  
MULTI-FUNCTION GAUGE

123.4 MPG

# SUZUKI MULTIFUNCTION GAUGE ACCESSORIES & KIT CONTENTS LIST

## Dual Station Starter Kit (Optional)

Includes components to install single gauge at 2nd station on vessel. Includes required components for single engine setup—dual, triple, and quadruple engine configurations will require additional components. See respective configuration page for requirements. See table below for kit contents. SPC engines only.

### 990C0-96L13-KIT

2nd Station Kit Components			
	Part Number	Part Name	990C0-96L13-KIT
1	34011-96L13	Multifunction Gauge	1
3	36682-92E00	Extension wire	1
4	990C0-88104	2' N2K Cable	1
6	990C0-88110	Backbone T	1
9	990C0-88107	15' N2K Cable	1*
	990C0-88108	25' N2K Cable	
10	36666-96L00	Gauge Power Adapter (dual station)	1
15	36665-96L00	Dual Station Adapter	1

\*Choose cable length based on distance between stations

## NMEA 2000 Cable Kit

This cable kit includes parts needed to make a basic NMEA 2000 backbone. A backbone is required for speed data to be displayed on SMG using either a GPS antenna or paddle wheel transducer. Kit contents in table at right.

### 990C0-88L00-KIT

NMEA 2000 Backbone Cable Kit			
	Part Number	Part Name	990C0-88L00-KIT
4	990C0-88104	2' N2K Cable	1
5	990C0-88112	N2K Power Cable / T	1
6	990C0-88110	Backbone T	1
7	990C0-88113	Terminator (F)	1
8	990C0-88114	Terminator (M)	1

## SMG Sun Cover

Replacement white plastic cover for SMG.

### 34211-96L00



## Mechanical and SPC Dual Engine Kits

These kits contain everything you need for a twin engine configuration. Includes necessary N2K components to create a backbone. Please see below for component chart for each type of kit.

### Components Chart—Dual Engine Kits (SPC and Mechanical)

1	34011-96L13	Multifunction Gauge
2	36665-87L10	Mechanical Multi Engine Adapter
4	990C0-88104	2' N2K Cable
5	990C0-88112	N2K Power Cable / T
6	990C0-88110	Backbone T
7	990C0-88113	Terminator (F)
8	990C0-88114	Terminator (M)
11a	36661-96L30	Gauge Adapter (Mechanical Engines)
11b	36661-96L20	Gauge Adapter (SPC Engines)
12a	36667-96L00	Gauge Adapter (SPC 2,3,4)

	Kits Include	
	Mechanical 990C0-96L53-KIT	SPC 990C0-96L73-KIT
	2	2
	1	-
	2	2
	1	1
	2	2
	1	1
	1	1
	2	-
	-	1
	-	1


## COMPONENTS LIST

1 Multifunction Gauge		2 Mechanical Multi Engine Adapter		3 Extension Wire		1 34011-96L13 Multifunction Gauge
4 2' N2K Cable		5 N2K Power Cable / T		6 Backbone T		2 36665-87L10 Mechanical Multi Engine Adapter
7 Terminator (F)		8 Terminator (M)		9 N2K Cable		3 36682-92E00 Extension wire
11 Gauge Adapter		13a Paddle Wheel/Speed Sensor		13b GPS Antenna w/ Compass		4 990C0-88104 2' N2K Cable
						990C0-88107 15' N2K Cable
						990C0-88108 25' N2K Cable
						5 990C0-88112 N2K Power Cable / T
						6 990C0-88110 Backbone T
						7 990C0-88113 Terminator (F)
						8 990C0-88114 Terminator (M)
						990C0-88104 2' N2K Cable
						990C0-88105 6' N2K Cable
						990C0-88107 15' N2K Cable
						990C0-88108 25' N2K Cable
						10 36666-96L00 Gauge Power Adapter (dual station)
						36661-96L20 Gauge Adapter (SPC Engines)
						36661-96L30 Gauge Adapter (Mechanical Engines)
						12a 36667-96L00 Gauge Adapter (SPC 2,3,4)
						12b 36667-96L30 Gauge Adapter for tanks 3-4
						13a 990C0-88317 Paddle Wheel / Speed Sensor
						13b 990C0-88122 GPS Antenna w/ Compass
						14 36667-96L11 2nd Gauge Adapter
						15 36665-96L00 Dual Station Adapter
						16 36667-96L20 Extension wire
						17 36660-89L02 Adapter for use with DF9.9B - DF30A

# SUZUKI SINGLE MECHANICAL ENGINE



Mechanical  
Single



## Single Mechanical Engine Kit\*

This Single Mechanical Engine Kit gives you what you need for single station installs. Includes Suzuki Multifunction gauge, engine adapter, and sun cover.

34000-96L43

## NMEA 2000 Cable Kit\*

This NMEA 2000 Cable Kit includes the basics for what you need to make a NMEA 2000 backbone in your electronics system. A backbone is required for speed data (optional) to be shown on the Suzuki Multifunction Displays. Speed sources listed below.

990C0-88L00-KIT

## Speed Data Sources (Optional)

SMG must have a speed source to display speed data. This can be achieved by adding a GPS antenna or paddle wheel transducer to the backbone if no other speed source is available. Simply use the included N2K Tee to extend your backbone and plug it in! (GPS option shown in diagram)

990C0-88122 GPS Antenna

990C0-88317 Paddle Wheel




\*See page 17 for kit parts lists with corresponding diagram reference numbers

18

SUZUKI  
MULTI-FUNCTION GAUGE

123.4 MPG

# SUZUKI DUAL MECHANICAL ENGINES



Mechanical  
Dual

## Dual Mechanical Engine Kit\*

This Dual Mechanical Engine Kit gives you what you need for single station installs. Includes Suzuki Multifunction Gauge, engine adapter, basic N2K components, and sun cover.

**990C0-96L53-KIT**

## NMEA 2000 Cable Kit\*

This NMEA 2000 Cable Kit includes the basics for what you need to make a NMEA 2000 backbone in your electronics system. A backbone is required for speed data (optional) to be shown on the Suzuki Multifunction Displays. Speed sources listed below.

**990C0-88L00-KIT**

## Speed Data Sources (Optional)

SMG must have a speed source to display speed data. This can be achieved by adding a GPS antenna or paddle wheel transducer to the backbone if no other speed source is available. Simply use the included N2K Tee to extend your backbone and plug it in! (GPS option shown in diagram)

**990C0-88122** GPS Antenna

**990C0-88317** Paddle Wheel


\*See page 17 for kit parts lists with corresponding diagram reference numbers

# SUZUKI PRECISION CONTROL SINGLE




Suzuki Precision Control Single

## SINGLE STATION



## DUAL STATION



### Single SPC Engine Gauge Kit\*

This Single SPC Engine Gauge Kit gives you what you need for single station installs. Includes Suzuki Multifunction gauge, engine adapter, and sun cover.

34000-96L63

### Dual Station Starter Kit\* (Optional)

The Dual Station Starter Kit includes components to install single gauge at 2nd station on vessel. Includes required components for single engine setup—dual, triple, and quadruple engine configurations will require additional components. See respective configuration page for requirements. See table below for kit contents.

990C0-96L13-KIT

### NMEA 2000 Cable Kit\*

This NMEA 2000 Cable Kit includes the basics for what you need to make a NMEA 2000 backbone in your electronics system. A backbone is required for speed data (optional) to be shown on the Suzuki Multifunction Displays. Speed sources listed below.

990C0-88L00-KIT

### Speed Data Sources (Optional)


SMG must have a speed source to display speed data. This can be achieved by adding a GPS antenna or paddle wheel transducer to the backbone if no other speed source is available. Simply use the included N2K Tee to extend your backbone and plug it in! (GPS option shown in diagram)

990C0-88122 GPS Antenna

990C0-88317 Paddle Wheel

\*See page 17 for kit parts lists with corresponding diagram reference numbers

# SUZUKI PRECISION CONTROL DUAL



## Dual SPC Engine Gauge Kit\*

The Dual SPC Engine Gauge Kit gives you need for single station installs. Includes two gauges and necessary N2K components to create a backbone for your twin engine / twin gauge setup.

**990C0-96L73-KIT**

## Dual Station Starter Kit\* (Optional)

The Dual Station Starter Kit includes components required in addition to the dual station starter kit. Please see table below for complete order list for dual engine, dual station.


**990C0-96L13-KIT**

Parts List--Suzuki Precision Control Dual Engine, Dual Station		
Part Number	Part Name	Qty. reqd.
<b>990C0-96L73-KIT</b>	Gauge Kit	1
<b>990C0-96L13-KIT</b>	Dual Station Kit	1
<b>1</b> <b>34011-96L13</b>	Multifunction Gauge	1
<b>4</b> <b>990C0-88104</b>	2' N2K Cable	1
<b>6</b> <b>990C0-88110</b>	Backbone T	1
<b>9</b> <b>990C0-88107</b>	15' N2K Cable	1*
	<b>990C0-88108</b>	
<b>14</b> <b>36667-96L11</b>	2nd Gauge Adapter	1
<b>15</b> <b>36665-96L00</b>	Dual Station Adapter	1

\*Choose cable length based on distance between stations

\*See page 17 for kit parts lists with corresponding diagram reference numbers

# SUZUKI PRECISION CONTROL TRIPLE



## Triple Engine SPC Gauge Rigging


By purchasing a dual SPC gauge kit and adding a few more components, you'll have just what you need to display engine data from each engine on your boat. Follow the ordering table below for either single or dual station setups. Select column for either single or dual station, then order the listed quantities in that column of the corresponding part numbers on the left of the table.

Suzuki Precision Control Triple Engine		Single Station	Dual Station
Part Number	Part Name	Qty. reqd.	Qty. reqd.
<b>990C0-96L73-KIT</b>	Gauge Kit	1	1
<b>990C0-96L13-KIT</b>	Dual Station Kit	-	1
<b>1</b>	<b>34011-96L13</b> Multifunction Gauge	1	3
<b>4</b>	<b>990C0-88104</b> 2' N2K Cable	1	3
<b>6</b>	<b>990C0-88110</b> Backbone T	1	3
<b>9</b>	<b>990C0-88107</b> 15' N2K Cable	-	1*
	<b>990C0-88108</b> 25' N2K Cable		
<b>14</b>	<b>36667-96L11</b> 2nd Gauge Adapter	-	2
<b>15</b>	<b>36665-96L00</b> Dual Station Adapter	-	1

\*Choose cable length based on distance between stations

\*See page 17 for kit parts lists with corresponding diagram reference numbers

# SUZUKI PRECISION CONTROL QUADRUPLE



## Quadruple Engine SPC Gauge Rigging

By purchasing a dual SPC gauge kit and adding a few more components, you'll have just what you need to display engine data from each engine on your boat. Follow the ordering table below for either single or dual station setups. Select column for either single or dual station, then order the listed quantities in that column of the corresponding part numbers on the left of the table.

Suzuki Precision Control Quadruple Engine		Single Station	Dual Station
Part Number	Part Name	Qty. reqd.	Qty. reqd.
<b>990C0-96L73-KIT</b>	Gauge Kit	1	1
<b>990C0-96L13-KIT</b>	Dual Station Kit	-	1
<b>1</b> <b>34011-96L13</b>	Multifunction Gauge	2	5
<b>2</b> <b>36665-87L10</b>	Multi Engine Adapter	1	1
<b>3</b> <b>36682-92E00</b>	Extension wire	-	1
<b>4</b> <b>990C0-88104</b>	2' N2K Cable	2	5
<b>6</b> <b>990C0-88110</b>	Backbone T	2	5
<b>9</b> <b>990C0-88107</b>	15' N2K Cable	-	1*
<b>990C0-88108</b>	25' N2K Cable	-	
<b>11</b> <b>36661-96L20</b>	Gauge Adapter (SPC Engines)	1	1
<b>12</b> <b>36667-96L00</b>	Gauge Adapter (SPC 2,3,4)	1	1
<b>15</b> <b>36665-96L00</b>	Dual Station Adapter	-	1

\*Choose cable length based on distance between stations

\*See page 17 for kit parts lists with corresponding diagram reference numbers

# NEW MULTI-FUNCTION DISPLAY



## New Multi-Function Display Connected to Earth

The all new Multi-Function Display and its features offers you access to all the information you need for The Ultimate boating experience. Control at the touch of a finger with the touch screen glass top design, available in 12" and 16" sizes.

### Key Benefits:

The Suzuki Multi-Function Display gives you access to all of your Suzuki engine information, so you can easily and quickly see the performance of your outboard(s) in one clear view. Additional features include chartplotting, sounder, radar, and weather. Detailed cartography chip not included. Transducers, radar antennas, and weather antennas must be purchased from your local Furuno dealer. Additional charge to unlock radar and sounder functions on 12" and 16" models, unlock codes can be purchased from your local Furuno dealer.



## New Multi-Function Display - SMD7 and SMD9

Powerful Technology in a compact design that is compact enough to fit on small runabouts and center consoles. The 7" and 9" touch screens enable you to operate the chartplotter with built-in fish finder at the touch of a finger.



# SUZUKI DIGITAL INSTRUMENTS

The Suzuki Color Display is a LED high-resolution screen that has very sharp, crisp lines and is extremely easy to read. It has a bonded glass front screen so whether it be sun, salt, or UV rays, your screen will never blur or fade like a plastic cover. The C-10 has its mounting points in the front so there is no need to crawl under your console to mount it. There is one easy connection to Suzuki's digital harness. Save your favorite programming and update the display using the Mini USB port. The C-10 is able to monitor functions such as RPM, Speed\*, Water Pressure\*, Fuel Level\*, Fuel Consumption, Coolant Temperature, Oil Level, Oil Temperature, Trim Level, Hours, or Volts (\* additional sensors required). The C-10 is able to monitor up to 2 engines simultaneously. The Suzuki C-10 can be retro-fitted, to replace a 4" round gauge



## Suzuki Color Display Kit

990C0-02C10-KIT Suzuki Color Display Kit includes:		
Part Number	Description	Qty
990C0-01C10	Suzuki Color Display	1
990C0-88114	Male Terminator	1
990C0-88113	Female Terminator	1
990C0-88110	NMEA "T"	2
990C0-88112	Power Cable + Network T	1
990C0-88149-354	Interface Cable	1

## How It Works

- Bright, full color 320 x 240 LED screen makes it easier to see menus and screen detail in both full sunlight and night operation
- Fits standard 3-3/8" gauge cutout
- Each C-10 gauge will display engine info from 1 or 2 engines
- Preconfigured pages or create your own
- Micro USB for software updates (update cable required)
- Power and data through single NMEA 2000 micro-C connector
- Low profile front mount – 8 mm of dash (rear mount option for "glass dash" installations)

## Suzuki C-10 Cover

This cover protects the Suzuki Color Display (C-10) from the elements. Use the cover to extend the life of your Suzuki C-10 Color Gauges.

990C0-10C10	Suzuki C10 Cover
-------------	------------------



# SUZUKI C-10 & NMEA 2000 ACCESSORIES PARTS LIST

## SENSORS



### GPS Antenna with Compass

Suzuki has upgraded its GPS Antenna to include compass heading.

**990C0-88122** GPS Antenna with Compass Heading

### Fluid Level Sensor

Monitors fluid levels such as fuel, live well water level, etc. 10 ft. cable.

**990C0-88113** Terminator – Female

### Speed Sensor

Paddle wheel-type speed sensor. 10 ft. cable.

**990C0-88317** Speed Wheel

### Temperature Sensor

Surface Water Temperature sensor. 10 ft. cable.

**990C0-88118** Temperature Sensor

### Water Pressure Sensor

**990C0-88339** Water Pressure Sensor

## INTERFACE CABLES

### Engine Interface Cables



DF9.9B thru DF350A Suzuki Outboards can connect to the system using the exclusive Engine Interface. (Adapter Cable also needed for DF150AP/175AP/200AP/250AP/300AP/350A applications.)

**990C0-88149-354** Software Version 3.5 (subject to change)

**990C0-88149-294** Software Version 2.9 (subject to change)

### Suzuki Engine Connect Gateway

The Suzuki Engine Connect Gateway provides Suzuki engine information, diagnostic codes and proprietary pop-up messages on compatible Simrad and Lowrance Multi-Function display (MFD) units. Note: Do not utilize C10 gauges with the Suzuki Connect Gateway. Only one Suzuki Connect Gateway is required per vessel. In multiple engine applications, each additional engine will require a standard Suzuki engine interface."

**990C0-88170** Suzuki Connect Gateway

## ENGINE ADAPTERS

### Adapters

Adapter must be used with Engine Interface to connect the DF150AP/175AP/200AP/250AP/300AP/350A Outboard to the system.



**990C0-88131** Single Engine Adapter (not shown)

**990C0-88132** Dual Engine Adapter (shown below)

**990C0-88133** Triple Engine Adapter (not shown)

**990C0-88132 x2** Quad Engine Adapter (not shown)

**990C0-88136** NMEA 2000 Adapter – to connect at engine SDS connector. 6' long. (shown above)

**36660-89L02** Adapter for use with DF9.9B – DF30A. 21' long.



## NMEA 2000 COMPONENTS



### NMEA 2000 Extension Cables

NMEA 2000 Extension Cable allows compatible sensors or other devices to be added by the use of T-Connectors throughout the system.

**990C0-88104** 2' Connection cable

**990C0-88105** 6' Connection cable

**990C0-88107** 15' Connection cable

**990C0-88108** 25' Connection cable



### Power Cable

Fused(3A) lead connects extension cable to the power source.

**990C0-88112** Single Power Cable (Includes Network T)

## NMEA 2000 COMPONENTS (Continued)



### Quad Power Node

Allows network to be powered from multiple power sources (key switch, accessory switch, etc.).

**990C0-88130** Quad Power Node



### T-Connector

T-Connector for NMEA 2000 system.

**990C0-88110** T-Connector

**990C0-88109** Quad-T

### Power Isolation

The NMEA 2000 power isolator makes sure the NMEA 2000 power from the engines and system power are kept separate.

**990C0-88115** Network Power Isolator (not shown)

### NMEA Adaptor

Used to connect a new style NMEA device net connector to an older network with Blue T's. Used to connect an early Blue Connector device to the later NMEA T.

**990C0-88137** NMEA Device to Blue "T"

### Terminating Resistors

120 ohm Terminating Resistors are required for any open cable ends in the NMEA 2000 system.

**990C0-88113** Terminator – Female

**990C0-88114** Terminator – Male

# SUZUKI ANALOG INSTRUMENTS

Suzuki Genuine Instruments are custom-designed to provide the quality, reliability and value you expect from Suzuki Products.

The wide selection allows you to accurately monitor a variety of essential functions. All instruments are lighted for night-time boating and feature standard 2" and 4" diameters for easy installation.



## 4" Tachometers

7,000 max RPM Tachs are available with or without 4-Stroke monitor functions. Monitor functions include: Low Oil Pressure Warning, Engine Temperature Warning, Check Engine Warning and Over-Rev Limit Warning.

<b>34200-93J14</b>	White - With monitor functions
<b>34200-93J34</b>	White - Without monitor functions
<b>34200-93J02</b>	Black - With monitor functions
<b>34200-93J22</b>	Black - Without monitor functions


## Trolling Mode Control Switch

Allows the use of the Suzuki Troll Mode on equipped engines. When Troll Mode is engaged, this switch allows for adjustments of engine RPM in 50 RPM increments, from idle to 1,200 RPM to make setting and maintaining a trolling speed easy. Consult owner's manual or Suzuki Outboard Dealer for additional details on Suzuki Troll System operation.



## 4" Tachometer With Suzuki Troll Mode Scale

Easy to read 4" Tachometer has a scale from 0-7,000 RPM for standard use and a secondary scale from 0-3,000 RPM with markers at 50 RPM intervals for use with the Suzuki Troll Mode System. Gauge also includes warning lamps for Engine Temperature, Low Oil, Check Engine, and Over-Rev. When in Troll Mode, Over-Rev Lamp stays on to indicate that Troll Mode has been engaged. The secondary RPM scale is designed to make setting and maintaining a lower troll speed simple. Fits DF40A/50A/50AV/60A/60AV/70A/90A/115A/140A (DF300/350A requires C-10 gauges) \*See engine owner's manual for information about Suzuki Troll Mode System. Not all models come equipped with trolling mode system. Accessory Troll Mode Switch is required for Suzuki Troll Mode System use. Suzuki recommends the use of this gauge for trolling use.



**37860-87L00**

DF40A/50A/50AV/60A/60AV/70A/90A/115A/115SS/140A/150A/150AP/DF175A/175AP/200A/250AP/300A/300B/350A

<b>34200-93J53</b>	White - DF40A/50A/50AV/60A/60AV/70A/90A/115SS/140A/150SS/150A/175A/200A/200SS (DF150AP/175AP/200AP/250AP/300/300B/350A requires digital instrumentation)
<b>34200-93J42</b>	Black - DF40A/50A/50AV/60A/60AV/70A/90A/115SS/140A/150SS/150A/175A/200A/200SS (DF150AP/175AP/200AP/250AP/300/300B/350A requires digital instrumentation)



## 4" Speedometers

Bourdon-tube type speedometer with readings in M.P.H. and Km/h. Includes vinyl tube, plus all installation instructions and hardware. \*Pitot tube 34190-87D00 must be ordered separately.

34100-93J13	White - 80 mph
34100-93J33	White - 50 mph
34100-93J02	Black - 80 mph
34100-93J22	Black - 50 mph
34190-87D00*	Pitot Tube



## 2" Hour Meter

12 volt electric motor driven meter indicates the number of hours your outboard motor has been operated to indicate when periodic services are necessary.

34500-93J13	White
34500-93J02	Black

## 2" Trim Gauge

Magnetic type gauge shows trim angle for optimum performance and efficiency.

34800-93J13	White
34800-93J02	Black

## 2" Voltmeter

A well charged battery is essential for quick and easy starts. Monitor the charging system using a Voltmeter.

34600-93J13	White
34600-93J02	Black



## 2" Fuel Gauge

Operates on 12 volts with magnetically damped needle. Works with most fuel tank sending units.

34300-93J13	White
34300-93J02	Black

## 2" Water Pressure Gauge 15 psi

Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation Kit for appropriate model.

34650-93J33	White
34650-93J22	Black



## Water Pressure Gauge Installation Kits

Kit includes fittings and hoses needed for motor to gauge connection.

34660-93J01	BDF225/250/250AP/300APP
34660-96J00	DF150/150AP/150A/ DF175/175AP/175A/200A
34660-99E00	DF60/70
34660-87J00	DF40/50
34660-90J02	DF40A/50A/50AV/60A/ 60AV/70A/90/DF90A/ 115/115A/140/140A

# SUZUKI ANALOG INSTRUMENTS

Economically priced, high-quality instruments feature easy plug-in wiring connections, perimeter-lighted dial, chrome bezels, contoured pointers and fog-resistant glass lenses. All use standard 2" or 4" diameters for easy dash installation.



White



Black

## 4" Speedometer

Easy to read 4" Speedometer features include lighted dial, contoured pointer and fog-resistant glass lens. \*Requires Tubing 99105-80009.

990C0-80102	White 60 mph
990C0-80009*	Speedometer Tubing (not shown)
990C0-80002	Black 65 mph
990C0-80009*	Speedometer Tubing (not shown)

## 4" Tachometers

7,000 max R.P.M. Tachs are available with or without 4-Stroke monitor functions. Monitor functions include: Low Oil Pressure Warning, Engine Temperature Warning, Check Engine Warning and Over-Rev Limit Warning.



White

Black

990C0-80101	White - With monitor functions
990C0-80100	White - Without monitor functions
990C0-80001	Black - With monitor functions
990C0-80000	Black - Without monitor functions



White



Black

## 2" Engine Monitor Gauge

Engine Monitor Gauge for 4-stroke engines helps alert you to low oil pressure, high engine temperature and engine over-rev

990C0-80108	White
990C0-80008	Black



White



Black

## 2" Trim Gauge

To help maintain steering stability and good performance, proper trim angle is essential. The Trim Gauge helps you monitor the trim angle. For use with 2-wire senders.

990C0-80105	White
990C0-80005	Black



White



Black

## 2" Hour Gauge

Handy Hour Meter helps you keep track of the time between services and total running time.

990C0-80107	White
990C0-80007	Black



White



Black

## 2" Fuel Gauge

Adding a Fuel Gauge can help you monitor fuel level. Connects easily using your boat's fuel sending unit harness.

990C0-80103	White
990C0-80003	Black



White



Black

## 2" Voltmeter

A well charged battery is essential for quick and easy starts. Monitor the charging system by using a Voltmeter.

990C0-80106	White
990C0-80006	Black



White



Black

## 2" Water Pressure Gauge 30 psi

Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation Kit for appropriate model.

990C0-80104	White
990C0-80004	Black


## Water Pressure Gauge Installation Kits

Kit includes fittings and hoses needed for motor to gauge connection.

34660-93J01	DF225/250/250AP/300A
34660-87J00	DF40/50
34660-96J00	DF150/150AP/150A/DF175/175AP/175A/200AP
34660-99E00	DF60/70
34660-90J02	DF40A/50A/50AV/60A/60AV/70A/90A/90/115/115A/140/140A



# CABLES AND RIGGING



## Dual Engine Ignition and Emergency Stop Switch Panel Assembly

Dual Engine Ignition and Emergency Stop Switch Panel Assembly. Includes wiring, hardware and stop switch lanyard.

37100-96J16



## Emergency Stop Switch Panel Assembly

Emergency Stop Switch Panel Assembly. Includes wiring, hardware and lanyard.

37803-93J06



## Single Engine Ignition Switch Panel Assembly

Single Engine Ignition Switch Panel Assembly. Includes wiring and hardware.

37860-87L00

DF40A/50A/50AV/60A/60AV/70A/70A/90A/115A/115SS/140A/150A/150AP/DF175A/175AP/200A/250AP/300A/300B/350A

## Switch Panel Assemblies

Genuine Suzuki Switch Panel Assemblies are designed to match and connect with other Suzuki components for easy installation and trouble-free operation.



## Trolling Mode Control Switch

Allows the use of the Suzuki Troll Mode on equipped engines. When Troll Mode is engaged, this switch allows for adjustments of engine RPM in 50 RPM increments, from idle to 1200 RPM to make setting and maintaining a trolling speed easy. Consult owner's manual or Suzuki Outboard Dealer for additional details on Suzuki Troll System operation.

37860-87L00

DF40A/50A/50AV/60A/60AV/70A/90A/115A/115SS/140A/150A/150AP/DF175A/175AP/200A/250AP/300A/300B/350A



## Single Engine Ignition and Emergency Stop Switch Panel Assembly

Single Engine Ignition and Emergency Stop Switch Panel Assembly. Includes wiring, hardware and stop switch lanyard.

37100-96J26



### P.T.T. Switch Panel Assembly

P.T.T. Switch Panel Assembly. Includes wiring and hardware.

**37805-93J00**

### Aux Power Trim Switch (not shown)

Allows quick connection of remote trim switch with easy plug-in bullet connectors.

**36647-93J00**



### Thru-Hull Fitting And Hose Kits


Thru-Hull Fitting and Hose Kit can handle single, dual and triple motor installations. One Thru Hull Kit and one Adaptor Kit is necessary for each outboard used.

<b>990C0-20010</b> Includes:	Black Thru Hull Kit
	<ul style="list-style-type: none"> <li>• 1 - 4' Black Hose</li> <li>• 1 - Fuel Hose Port</li> <li>• 1 - 2" Thru-Hull Fitting</li> <li>• 2 - Stainless Steel Bolts &amp; Nuts</li> </ul>

<b>990C0-20020</b> Includes:	White Thru Hull Kit
	<ul style="list-style-type: none"> <li>• 1 - 4' Black Hose</li> <li>• 1 - Fuel Hose Port</li> <li>• 1 - 2" Thru-Hull Fitting</li> <li>• 2 - Stainless Steel Bolts &amp; Nuts</li> </ul>

### Suzuki Performance Remote Control Cables

Suzuki Performance Cables have a unique design that incorporates a patent-pending splined core. Ridges on the core allow a close fit to the cable's inner liner with minimum contact, allowing the core to glide back and forth smoothly. All cables are factory tested and approved for heavy use applications. Order cable length as needed.



<b>990C0-11002-008</b>	8'	<b>990C0-11002-014</b>	14'	<b>990C0-11002-020</b>	20'	<b>990C0-11002-026</b>	26'
<b>990C0-11002-009</b>	9'	<b>990C0-11002-015</b>	15'	<b>990C0-11002-021</b>	21'	<b>990C0-11002-027</b>	27'
<b>990C0-11002-010</b>	10'	<b>990C0-11002-016</b>	16'	<b>990C0-11002-022</b>	22'	<b>990C0-11002-028</b>	28'
<b>990C0-11002-011</b>	11'	<b>990C0-11002-017</b>	17'	<b>990C0-11002-023</b>	23'	<b>990C0-11002-029</b>	29'
<b>990C0-11002-012</b>	12'	<b>990C0-11002-018</b>	18'	<b>990C0-11002-024</b>	24'	<b>990C0-11002-030</b>	30'
<b>990C0-11002-013</b>	13'	<b>990C0-11002-019</b>	19'	<b>990C0-11002-025</b>	25'		



### Wiring Harness

Main Wiring Harness. Order length as needed for rigging applications.

<b>36620-93J52</b>	16' Wiring Harness
<b>36620-93J02</b>	21' Wiring Harness
<b>36620-93J62</b>	26' Wiring Harness
<b>36620-93J10</b>	6' Wiring Harness Extension
<b>36620-93J40</b>	10' Wiring Harness Extension



### Battery Isolator Lead Set

Used for charging auxiliary battery.

<b>33830-96J00</b>	DF150/175 (S/N Models up to 499999)
<b>33830-98J11</b>	DF150/175 (S/N Models 510001 and newer) DF200AP/175AP/150AP/250A/300A/300B
<b>33830-98J02</b>	DF300 (Models up to 199999)

### Adapter Kits

Kit Includes:  
1 - Through-Hull attachment  
2 - pins,  
2 - e-rings



<b>67300-98J10</b>	DF115A/140A/150/175/200A/200AP/DF250AP/300A/300B/350A 2016-Newer
<b>67300-93J00</b>	DF150/175/200/225/250/300 2006-2015
<b>67300-90J00</b>	DF70A/90A/115/140 2006-2015

### Replacement Lanyard

Replacement Lanyard for Emergency Stop Switch.

**37823-92E02**



### Replacement Ignition Keys (not shown)

<b>37141-99E00</b>	Key 931	<b>37141-99E60</b>	Key 937
<b>37141-99E10</b>	Key 932	<b>37141-99E70</b>	Key 938
<b>37141-99E20</b>	Key 933	<b>37141-99E80</b>	Key 939
<b>37141-99E30</b>	Key 934	<b>37141-99E90</b>	Key 940
<b>37141-99E40</b>	Key 935	<b>37141-99EA0</b>	key 941
<b>37141-99E50</b>	Key 936	<b>37141-99EB0</b>	Key 942

# STEERING



## Tiller Handle Kits

New fully-integrated tiller handle with digital tachometer display. Includes redesigned, more ergonomic shift lever.

### PEARL NEBULAR BLACK


63002-88L27-YAY	DF40A/50A
63002-88L16-YAY	DF50AV/60A/60AV
63002-87L16-YAY	DF70A/90A
63002-90J36-YAY	DF115A



Digital Tachometer



Shift Lever



Angle Adjustable Bracket



### Tiller Handle Kits

Tiller Handle Kits are designed for easy installation for selected electric start models. Kit includes ignition switch, engine stop switches, wiring harness, cables and grommets.

<b>63002-87J26-0EP</b>	DF40/50	'05 - '09
<b>63002-88L30-0EP</b>	DF40A/50A/60A	'10 - Current
<b>63002-87L06-0EP</b>	DF70A/90A	'09 - Current
<b>63002-90J41-0EP</b>	DF90/115 w/ Hydraulic Tensioner	'05 - Current



### Dual Cable Steering Kit

Kit allows you to attach two steering cables for added reliability.

<b>990C0-10004</b>	DF150 - DF250
--------------------	---------------



### Drag Link Kits

Corrosion-resistant stainless steel Drag Links are specially designed for use with Suzuki Outboard Motors.

<b>67701-99J02</b>	DF9.9B-DF20A	'10 - Current
<b>67701-93E12</b>	DF9.9/15	'97 - '10
<b>67701-94L00</b>	DF25A/30A	
<b>67701-87J11</b>	DF40/50	'99 - '10
	DF40A-60A/200-250	'10 - Current
	DF60/70	'98 - '10
<b>67701-87L01</b>	DF70A/90A	'09 - Current
<b>67701-90J01</b>	DF90/115/140A	'01 - Current
<b>67701-96J00</b>	DF150-175/200A/AP	'06 - Current
<b>67700-93J00</b>	DF225/250	'04 - Current



### Twin Engine Adapter Plate Set

Adapter plates are used when installing a tie bar on a D115A/140A.

<b>99105-10005</b>	DF115A/140A
	*Does NOT fit DF90A



### Dual Engine Tie Bar

Stainless steel Tie Bar for dual engine steering, adjustable up to 36".

<b>99105-10006</b>	DF40A - DF140A
--------------------	----------------

# FUEL SYSTEM



## Compact Water Separator/Fuel Filter

Compact size Water Separator/Fuel Filter is ideal for smaller boat-motor combinations of up to 140 H.P. Not for 150 and above.

<b>99105-20006</b>	Replacement Filter
<b>99105-20006-ASY</b>	Complete Assembly
<b>99105-20006-BWL</b>	Bowl and Drain Valve Assembly



## Water Separator/ Fuel Filter

State-of-the-art filter removes water and other contaminants from the fuel before they reach your engine. It features a transparent removable bowl for easy viewing of fuel condition and a drain valve for water and other impurities. Due to the high flow rate capabilities of this filter system, a special large diameter thread is used. Use only Genuine Suzuki Replacement Filter 99105-20005. Applicable to all models, recommended 150 and up.

<b>99105-20005</b>	Replacement Filter
<b>99105-20005-ASY</b>	Complete Assembly
<b>99105-20004-BWL</b>	Bowl and Drain Valve Assembly



## Bowl Wrench

<b>99105-20003</b>	Bowl Wrench
--------------------	-------------



## Plastic Fuel Tanks\*

Constructed of tough, lightweight, high-density polyethylene and made to CARB / EPA standards.

<b>65000-99J01</b>	3 Gallon Tank without Fuel Level Gauge, 11mm connector
<b>65000-95J01</b>	6.6 Gallon Tank with Fuel Level Gauge, 13mm connector

\* Not for use with DF 4/6 without fuel hose with pressure regulator. See dealer for details.

## FUEL CONNECTORS - MOTOR SIDE

Male connectors are located on the motor side, for fuel hose attachment.



<b>65720-985L1</b>	OD:11mm Plated Brass	DT3.5 - 65
--------------------	-------------------------	------------



<b>65720-95512</b>	OD:13mm Plated Brass	DT75 - 140A
--------------------	-------------------------	-------------



<b>65720-94403</b>	OD:13mm Plastic	DT4 - 65
--------------------	--------------------	----------



<b>65720-94403</b>	OD:13mm Plastic	DT4 - 65
--------------------	-----------------	----------



<b>65720-986L0</b>	Plastic	DF4 - 140A
--------------------	---------	------------

<b>65721-87D00</b>	OD:13mm Plastic (not shown)	DT150 - 225
--------------------	--------------------------------	-------------

## FUEL HOSE CONNECTORS

Quick connect and disconnect female fittings fit either hose end.



<b>65750-98505</b>	ID:11mm	Metal for small diameter hoses
--------------------	---------	-----------------------------------



<b>65750-93000</b>	ID:13mm	Metal for small diameter hoses
--------------------	---------	-----------------------------------



<b>65750-95500</b>	ID:13mm	Metal for small diameter hoses
--------------------	---------	-----------------------------------



<b>65750-94404</b>	ID:13mm Plastic	DT4 - 140A
--------------------	-----------------	------------



<b>65750-87J11</b>	Plastic	DF4 - 140A
--------------------	---------	------------

## FUEL TANK CONNECTORS

Fuel tank connectors are available in stainless steel with metric thread and plated brass with 1/4" NPT.



<b>65720-98590</b>	OD:11mm Metric	All Models
--------------------	----------------	------------



<b>65740-95500</b>	OD:13mm Metric	All Models
--------------------	----------------	------------




<b>99105-00192</b>	OD:11mm 1/4" NPT	U.S. Tanks
--------------------	------------------	------------



<b>99105-00193</b>	OD:13mm 1/4" NPT	U.S. Tanks
--------------------	------------------	------------

# PROPELLERS

Propeller selection is very important in the performance of your boat. Acceleration, speed, fuel efficiency, stability and engine RPM all are affected by the propeller selected. Operating requirements and conditions will also affect which design, style and pitch of propeller you may choose to meet your individual needs. The boat and engine combination may have already been tested by your dealer or the boat manufacturer for the appropriate propeller size. Your Suzuki Dealer can assist you with the process to determine the correct propeller for your application.



## Stainless Steel Propellers


Suzuki Stainless Steel Propellers offer higher performance and greater durability than aluminum propellers. The aggressive design of these propellers enhances the overall performance of your boat and the durability of the stainless steel construction will give you long term dependability. Your Suzuki Stainless Steel Propeller is also fitted with a rubber cushion hub to help absorb vibration and shock.

## Propeller Sizing

When referring to propeller size, such as 3 x 13 x 18, the first number indicates the number of blades, the second number details the diameter of the propeller in inches and the third number is the pitch of the propeller in inches. The pitch is the most significant number in the description. The diameter is usually predetermined by the propeller engineers and is based on the size and series of the engine.

## Diameter

Diameter is considered to be the distance across an imaginary circle that is made when a propeller is rotated. Diameter is determined during the engineering process of designing a propeller and is usually based on requirements to meet the needs of engine size, gear case design, horsepower and speed.



## Pitch

Pitch is used to describe the theoretical distance that a propeller "corkscrews" through the water in inches of forward travel. In theory, an 18" pitch propeller would move ahead 18" with each complete revolution of a propeller. There is always some percentage of inefficiency as water conditions, boat weight and propeller style are introduced into the performance equation. The lower the "slip factor," the more efficiently the propeller will perform and the faster the speed at a given engine RPM. Lower pitches accelerate faster, but have a lower top end speed. Higher pitches have a slower acceleration, but may attain higher top speeds. An inch of pitch generally is equal to 150 - 200 engine RPM at wide open throttle (WOT). If pitch is increased by an inch, RPM will decrease by 150 - 200 RPM at WOT. If pitch is decreased by an inch, RPM will increase by 150 - 200 RPM at WOT. Always operate your boat/engine combination within the recommended RPM range guidelines as stated in your operator's manual. Operating outside the recommended range can cause severe damage to your engine and may void the engine warranty.



Cup

Rake

## Propeller Cup

Cup is used to reduce the slip and ventilation of the propeller. This will allow you to operate your engine at a higher transom mounting and allow you to use more trim for bow lift. The cup refers to the area along the trailing edge of the propeller blade that has an increased pitch in the last 1/2" of the blade surface and extends to the blade tip.

## Rake

Rake is described as the angle, in degrees, that the propeller blades are mounted to the "barrel" of the propeller. The blades of a zero degree rake propeller are mounted perpendicular to the "barrel" of the propeller. The blades of a higher rake propeller angle more to the rear of the propeller. A propeller with a high rake design will hold the water on the blades longer during operation and will ventilate less at higher engine heights. High rake propellers will produce higher thrust that will help lift the bow of the boat more effectively.



## Propeller Lock

Theft protection for your boat's propeller, in and out of the water. Constructed of naval brass and stainless steel for long life. Easy to install. Also fits counter rotation models.

99105-30003 DF40 - 350A



## Propeller Hardware Kits

Includes the spacer, cotter key, washer and nut to secure the propeller to the shaft. Great for tackle or tool box.

57630-99J00	DF9.9A
57630-93900	DF9.9B
57630-96300	DF25/30
57630-94301	DF40/50/60A
57630-94500	DF60/70 with V-Style
57630-90J00	DF50AV/60AV/70A/90A/ 115/115A/140/140A
57630-92E00	DF150 and up and V-6 Models
57630-93L00	For WaterGrip Props only (-0081X, -0084X, -0051X)

# PROPELLERS



## DF4/6 (Optional '03-'10)

Material	Blades	Diameter	Pitch	Part Number	DF4	DF6
Aluminum	3	7-1/2	6	<a href="#">58110-91JL0-019</a>	'04-Current	'04-Current
Aluminum	3	7-1/2	6-1/2	<a href="#">58110-91JM0-019</a>	'04-Current	'04-Current
Aluminum	3	7-1/2	7	<a href="#">58110-91JN0-019</a>	'04-Current	'04-Current
Aluminum	3	7-1/2	6	<a href="#">58111-98602-019</a>	'03	
Aluminum	3	7-1/2	6-1/2	<a href="#">58111-98641-019</a>	'03	
Aluminum	3	7-1/2	7	<a href="#">58111-98651-019</a>	'03	

Diameter and pitch are measured in inches. ■=Optional. Refer to the Bushing Application Chart.

## DF9.9/15/20

Material	Blades	Diameter	Pitch	Part Number	DF9.9	DF15/20
Aluminum	3	9-1/4	7	<a href="#">58100-89L00-019</a>	■	■
Aluminum	3	9-1/4	8	<a href="#">58100-90L41-019</a>	■	■
Aluminum	3	9-1/4	9	<a href="#">58100-90L50-019</a>	■	■
Aluminum	3	9-1/4	10	<a href="#">58100-90L60-019</a>	■	■
Aluminum	3	9-1/4	11	<a href="#">58100-89L70-019</a>	■	■
Aluminum	3	9-1/4	12	<a href="#">58100-89L50-019</a>	■	■
Aluminum	3	9-1/4	10	<a href="#">58100-90L21-019</a>	■	■
Aluminum	4	10	5	<a href="#">58100-94JA2-019</a>	■	

Diameter and pitch are measured in inches. ■=Optional.

## DF9.9B/15A/20A

Material	Blades	Diameter	Pitch	Part Number	DF15A/20A
Aluminum	3	9-1/4	8	<a href="#">58100-90L41-019</a>	■
Aluminum	3	9-1/4	9	<a href="#">58100-90L50-019</a>	■
Aluminum	3	9-1/4	10	<a href="#">58100-90L60-019</a>	■
Aluminum	3	9-1/4	11	<a href="#">58100-89L70-019</a>	■
Aluminum	3	9-1/4	12	<a href="#">58100-89L50-019</a>	■

Diameter and pitch are measured in inches. ■=Optional.

## Propeller Bushing Application

Applications	Bushing Type	Bushing	Stopper	Spacer	Washer	Nut
DF4 '03 Models	Push-In	<a href="#">58120-98600</a>				<a href="#">58130-91JL0</a>
DF4 '04 - Current Models	Press-In	<a href="#">58120-91JL0</a>	<a href="#">57635-91JL0</a>	<a href="#">58130-91JL0</a>	<a href="#">58100-90L41-019</a>	<a href="#">58100-90L41-019</a>
DF6 '03 - Current Models	Press-In	<a href="#">58120-91JL0</a>	<a href="#">57635-91JL0</a>			<a href="#">58130-91JL0</a>
DF9.9/9.9A/9.9B/15/15A/20A	Press-In	<a href="#">58120-89L00</a>	<a href="#">57632-94J00</a>	<a href="#">57633-93901</a>	<a href="#">09160-12066</a>	<a href="#">09141-12005</a>
DF25/30 '00 - Current Models	Press-In	<a href="#">58120-96401</a>	<a href="#">57632-96400</a>	<a href="#">57633-96300</a>	<a href="#">09160-14028</a>	<a href="#">09141-14008</a>
DF25 V-Twin	Press-In	<a href="#">58120-96401</a>	<a href="#">57632-95J00</a>	<a href="#">57633-96300</a>	<a href="#">09160-14028</a>	<a href="#">09141-14008</a>
DF40/50	Press-In	<a href="#">58120-88L01</a>	<a href="#">57632-95320</a>	<a href="#">57633-94301</a>	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF40A/50A/60A '10 - Current Models	Press-in	<a href="#">58120-88L01</a>	<a href="#">57632-95320</a>	<a href="#">57633-94301</a>	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF60/70	Press-In	<a href="#">58120-95500</a>	<a href="#">57635-95510</a>	<a href="#">57633-95501</a>	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF60/70	Press-In	<a href="#">58120-94520</a>	<a href="#">57635-94511</a>	<a href="#">57633-94500</a>	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF70A/90A '09 - Current Models	Press-In	<a href="#">58120-90J00</a>	<a href="#">57632-87L01</a>	<a href="#">57633-90J02</a>	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF90/115/140A	Press-In	<a href="#">58120-90J00</a>	<a href="#">57635-90J01*</a>	year specific	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF90/115/140A	Press-In	<a href="#">58120-90J00</a>	<a href="#">57635-90J01*</a>	year specific	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF90/115/140A '01 - '02 Models	Press-In	<a href="#">58120-90J00</a>	<a href="#">57635-90J01*</a>	<a href="#">57633-90J02</a>	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF90/115/140A '03 - '08 Models	Press-In	<a href="#">58120-90J00</a>	<a href="#">57635-90J01*</a>	<a href="#">57633-90J02</a>	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF115/140A Counter Rotation Models	Press-In	<a href="#">58120-90J00</a>	<a href="#">57635-92J01*</a>	year specific	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF150/175/200/200A/225/250/250AP/300/300AP	Press-In	<a href="#">58105-93J00</a>	<a href="#">57632-93J11</a>	<a href="#">57633-87D30</a>	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>
DF250SS	Press-In	<a href="#">58105-93J10</a>	<a href="#">57632-93J21</a>	<a href="#">57633-87D30</a>	<a href="#">09160-18028</a>	<a href="#">09141-18005</a>

\*Uses Spacer For Stopper, 57632-90J00

## DF25A/30A

Material	Blades	Diameter	Pitch	Part Number	DF25A/30A
Aluminum	3	10-1/4	9	<a href="#">58100-96372-019</a>	■
Aluminum	3	10-1/4	10	<a href="#">58100-91L40-019</a>	■
Aluminum	3	10-1/4	10	<a href="#">58100-96472-019*</a>	■
Aluminum	3	10-1/4	11	<a href="#">58100-91L50-019</a>	■
Aluminum	3	10-1/4	12	<a href="#">58100-96482-019</a>	■
Aluminum	3	10-1/4	13	<a href="#">58100-96492-019</a>	■
Aluminum	3	10-1/4	14	<a href="#">58100-95D01-019</a>	■
Aluminum	3	10-1/4	15	<a href="#">58100-96462-019</a>	■

Diameter and pitch are measured in inches. ■=Optional.

\*Thicker Blade

## DF60/70

Material	Blades	Diameter	Pitch	Part Number	'98 - '09
Aluminum	3	14	11	<a href="#">58100-99E10-019</a>	■
Aluminum	3	13-3/4	13	<a href="#">58100-99E00-019</a>	■
Aluminum	3	13-1/2	15	<a href="#">58100-94500-019</a>	■
Aluminum	3	13-1/4	17	<a href="#">58100-94512-019</a>	■
Aluminum	3	13	19	<a href="#">58100-94522-019</a>	■
Aluminum	3	13	21	<a href="#">58100-94532-019</a>	■

Diameter and pitch are measured in inches. Extremely durable stainless steel propellers especially designed for high performance boats. ■=Optional. Type V Cupped aluminum propeller with press-in bushing.

## DF40A/60A

Material	Blades	Diameter	Pitch	Part Number	'99 - Current
Aluminum	3	11-1/2	9	58100-88L03-019	■
Aluminum	3	11-1/2	10	58100-88L13-019	■
Aluminum	3	11-1/2	11	58100-88L23-019	■
Aluminum	3	11-5/8	12	58100-88LA0-019	■
Aluminum	3	11-1/2	13	58100-88LB0-019	■
Aluminum	3	11-3/8	14	58100-88L52-019	■
Aluminum	3	11-1/4	15	58100-88L62-019	■
Aluminum	3	11-1/8	16	58100-88L72-019	■
Aluminum	3	11	17	58100-88L83-019	■
Stainless Steel	3	11-3/4	10	990C0-00600-10P	■
Stainless Steel	3	11-3/4	11	990C0-00600-11P	■
Stainless Steel	3	11-3/4	12	990C0-00600-12P	■
Stainless Steel	3	11-3/4	13	990C0-00600-13P	■
Stainless Steel	3	11-3/4	14	990C0-00600-14P	■
Stainless Steel	3	11-3/4	15	990C0-00600-15P	■
Stainless Steel	3	11-3/4	16	990C0-00600-16P	■
Stainless Steel	3	11-3/4	17	990C0-00600-17P	■

Diameter and pitch are measured in inches. ■=Optional.

## DF50AV/60AV/70A/90A/115/115A/140/140A

Material	Blades	Diameter	Pitch	Part Number	'99 - Current
Aluminum	3	14	9	990C0-00750-09P	■
Aluminum	3	14	11	990C0-00750-11P	■
Aluminum	3	14	13	990C0-00750-13P	■
Aluminum	3	13-7/8	15	990C0-00750-15P	■
Aluminum	3	13-3/4	17	990C0-00750-17P	■
Aluminum	3	13-3/4	19	990C0-00750-19P	■
Aluminum	3	13-3/4	21	990C0-00750-21P	■
Aluminum	3	13-3/4	23	58100-87LF0-019	■
Aluminum	3	13-1/2	15	990C0-00760-15P	■
Aluminum	3	14	17	990C0-00760-17P	■
Aluminum	3	14	19	990C0-00760-19P	■
Aluminum	3	14	21	990C0-00760-21P	■
Aluminum	3	14	23	990C0-00760-23P	■
Stainless Steel	3	14	15	990C0-00610-15P	■
Stainless Steel	3	14	16	990C0-00610-16P	■
Stainless Steel	3	14	17	990C0-00610-17P	■
Stainless Steel	3	14	18	990C0-00610-18P	■
Stainless Steel	3	14	19	990C0-00610-19P	■
Stainless Steel	3	14	20	990C0-00610-20P	■
Stainless Steel	3	14	21	990C0-00610-21P	■
Stainless Steel	3	14	22	990C0-00610-22P	■
Stainless Steel	3	14	23	990C0-00610-23P	■
Stainless Steel	3	14	24	990C0-00610-24P	■
Stainless Steel	3	14	25	990C0-00610-25P	■
Stainless Steel	3	14	26	990C0-00610-26P	■

Diameter and pitch are measured in inches. ■=Optional.

## Counter Rotation 610 Series Propellers for DF50AV/60AV/70A/90A/115/115A/140/140A

Material	Blades	Diameter	Pitch	Part Number	'09 - Current
Stainless Steel	3	14	15	990C0-0061L-15P	■
Stainless Steel	3	14	16	990C0-0061L-16P	■
Stainless Steel	3	14	17	990C0-0061L-17P	■
Stainless Steel	3	14	18	990C0-0061L-18P	■
Stainless Steel	3	14	19	990C0-0061L-19P	■
Stainless Steel	3	14	20	990C0-0061L-20P	■
Stainless Steel	3	14	21	990C0-0061L-21P	■
Stainless Steel	3	14	22	990C0-0061L-22P	■
Stainless Steel	3	14	23	990C0-0061L-23P	■
Stainless Steel	3	14	24	990C0-0061L-24P	■

Diameter and pitch are measured in inches. ■=Optional.

## Suzuki Watergrip® Propellers for DF150/150AP/175/175AP/200/200A/200AP/300A

Material	Blades	Diameter	Pitch	Part Number	DF150 - 300AP
Stainless Steel	3	16	17	990C0-00810-17P	■
Stainless Steel	3	16	18-1/2	990C0-00810-185	■
Stainless Steel	3	16	20	990C0-00810-20P	■
Stainless Steel	3	16	21-1/2	990C0-00810-215	■
Stainless Steel	3	16	23	990C0-00810-23P	■
Stainless Steel	3	16	24-1/2	990C0-00810-245	■
Stainless Steel	3	16	26	990C0-00810-26P	■
Stainless Steel	3	16	27-1/2	990C0-00810-275	■
Stainless Steel	3	15-1/2	17	990C0-00840-17P	■
Stainless Steel	3	15-1/4	19	990C0-00840-19P	■
Stainless Steel	3	15	21	990C0-00840-21P	■
Stainless Steel	3	14-3/4	23	990C0-00840-23P	■
Stainless Steel	3	14-1/2	25	990C0-00840-25P	■
Stainless Steel	3	14-1/2	27	990C0-00840-27P	■
Stainless Steel	4	15-1/4	20	990C0-00510-20P	■
Stainless Steel	4	15-1/4	22	990C0-00510-22P	■
Stainless Steel	4	15-1/4	24	990C0-00510-24P	■
Stainless Steel	4	15-1/4	26	990C0-00510-26P	■

Diameter and pitch are measured in inches. ■=Optional.

## Suzuki Watergrip® Counter Rotation Propellers for DF150/150AP/175/175AP/200/200A/200AP/300A

Material	Blades	Diameter	Pitch	Part Number	DF150 - 300AP
Stainless Steel	3	16	17	990C0-0081L-17P	■
Stainless Steel	3	16	18-1/2	990C0-0081L-185	■
Stainless Steel	3	16	20	990C0-0081L-20P	■
Stainless Steel	3	16	21-1/2	990C0-0081L-215	■
Stainless Steel	3	16	23	990C0-0081L-23P	■
Stainless Steel	3	16	24-1/2	990C0-0081L-245	■
Stainless Steel	3	16	26	990C0-0081L-26P	■
Stainless Steel	3	15-1/2	17	990C0-0084L-17P	■
Stainless Steel	3	15-1/4	19	990C0-0084L-19P	■
Stainless Steel	3	15	21	990C0-0084L-21P	■
Stainless Steel	3	14-3/4	23	990C0-0084L-23P	■
Stainless Steel	3	14-1/2	25	990C0-0084L-25P	■
Stainless Steel	3	14-1/2	27	990C0-0084L-27P	■
Stainless Steel	4	15-1/4	20	990C0-0051L-20P	■
Stainless Steel	4	15-1/4	22	990C0-0051L-22P	■
Stainless Steel	4	15-1/4	24	990C0-0051L-24P	■
Stainless Steel	4	15-1/4	26	990C0-0051L-26P	■

Diameter and pitch are measured in inches. ■=Optional.

## DF250SS

Material	Blades	Diameter	Pitch	Part Number	DF250SS
Stainless Steel	4	14 1/4	17	990C0-00622-17P	■
Stainless Steel	4	14-1/4	18	990C0-00622-18P	■
Stainless Steel	4	14-1/4	19	990C0-00622-19P	■
Stainless Steel	4	14-1/4	20	990C0-00622-20P	■
Stainless Steel	4	14-1/4	21	990C0-00622-21P	■
Stainless Steel	4	14-1/4	22	990C0-00622-22P	■
Stainless Steel	4	14-1/4	23	990C0-00622-23P	■
Stainless Steel	4	14-1/4	24	990C0-00622-24P	■
Stainless Steel	4	14-1/4	25	990C0-00622-25P	■
Stainless Steel	4	14-1/4	26	990C0-00622-26P	■
Stainless Steel	4	14-1/4	27	990C0-00622-27P	■
Stainless Steel	4	14-1/4	28	990C0-00622-28P	■
Stainless Steel	4	14-1/2	26	990C0-00630-26P	■
Stainless Steel	4	14-1/2	27	990C0-00630-27P	■
Stainless Steel	4	14-1/2	28	990C0-00630-28P	■
Stainless Steel	4	14-1/2	29	990C0-00630-29P	■
Stainless Steel	4	14-1/2	30	990C0-00630-30P	■

Diameter and pitch are measured in inches. n=Optional.

All 622 and 630 Series Propellers Require the 57632-93L10 and 57633-93L00 Stopper and Spacer, must purchase separately. Recommended for High Performance Applications Only


# DF300B AND DF350A PROPELLERS AND TOOLS

## A REVOLUTION IN INNOVATION




### Development of Suzuki's First Contra-Rotating Propeller

After years of outboard design, Suzuki engineers knew that the shape of the lower unit and the design of the propeller would have a critical impact on performance. The increased power of the new engine required more powerful gears, and more powerful gears were typically larger. After considering alternatives, an innovative idea was proposed: design a contra-rotating dual propeller system. The contra-rotating propeller would certainly provide more “grip” underwater, and because contra-rotating propellers distribute the engine torque evenly over the two propellers, the torque per propeller decreases and gear diameter can be reduced. A reduction in gear diameter could then lead to the design of a smaller, more hydrodynamic gear case.



# DF300B/350A PROPELLERS AND TOOLS



## DF300B/DF350A Propellers

Material	Blades	Diameter	Pitch	Part Number	Description	7'-current
Stainless Steel	3	15-1/2"	12	<a href="#">990C0-0091R-12P</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	15	<a href="#">990C0-0091R-15P</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	16.5	<a href="#">990C0-0091R-165</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	18	<a href="#">990C0-0091R-18P</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	19.5	<a href="#">990C0-0091R-195</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	21.0	<a href="#">990C0-0091R-21P</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	22.5	<a href="#">990C0-0091R-225</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	24.0	<a href="#">990C0-0091R-24P</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	25.5	<a href="#">990C0-0091R-255</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	27.0	<a href="#">990C0-0091R-27P</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	28.5	<a href="#">990C0-0091R-285</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	30.0	<a href="#">990C0-0091R-30P</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	31.5	<a href="#">990C0-0091R-315</a>	Rear Propeller	■
Stainless Steel	3	15-1/2"	12	<a href="#">990C0-0090F-12P</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	15	<a href="#">990C0-0090F-15P</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	16.5	<a href="#">990C0-0090F-165</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	18	<a href="#">990C0-0090F-18P</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	19.5	<a href="#">990C0-0090F-195</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	21.0	<a href="#">990C0-0090F-21P</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	22.5	<a href="#">990C0-0090F-225</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	24.0	<a href="#">990C0-0090F-24P</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	25.0	<a href="#">990C0-0090F-255</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	27.0	<a href="#">990C0-0090F-27P</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	28.5	<a href="#">990C0-0090F-285</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	30.0	<a href="#">990C0-0090F-30P</a>	Front Propeller	■
Stainless Steel	3	15-1/2"	31.5	<a href="#">990C0-0090F-315</a>	Front Propeller	■

## DF300B/350A Propeller Removal Tool

[99924-29810-LPT](#) Prop Tool



# REPAIR KITS & ANODES



## Water Pump Repair Kit

### FOUR STROKE

Material	Blades	Diameter
<b>17400-98661</b>	DF4/6	'02 - '10
	DF4/6	'11 - Current
<b>17400-99J01</b>	DF9.9A	'10 - Current
<b>17400-94J00</b>	DF9.9/15	'07 - Current
<b>17400-93951</b>	DF9.9/9.9B/15/15A/20A	'97 - '06
	DF25/30	'00 - '07
<b>17400-96353</b>	DF40/50	'99 - '10
	DF25A/30A	'14 - Current
<b>17400-95J02</b>	DF25 V-Twin	'06 - Current
<b>17400-99E01</b>	DF60/70	'07 - '10
<b>17400-87E04</b>	DF60/70	'98 - '06
<b>17400-88L00</b>	DF40A/50A/60A	'10 - Current
<b>17400-99E10</b>	DF60AVT	9-1/4
<b>17400-87L01</b>	DF70A/80A/90A	'09 - Current
<b>17400-92J00</b>	DF90/115/140	'06 - '08
<b>17400-90J20</b>	DF90/115/140	'01 - '05
<b>17400-92J21</b>	DF115/115A/140A/150AP/175AP	'09 - Current
	DF150/150G/150AP/175/175G/175AP/DF200A/200AP	'06 - Current
<b>17400-96J02</b>	DF200/225/250 (V6)	'04 - Current
<b>17400-93J02</b>	DF250SS	'08 - Current
<b>17400-98J01</b>	DF250AP/300/300A	'07 - Current
<b>17400-98L00</b>	DF300B/DF350A	All Models

### TWO STROKE

<b>17400-98652</b>	DT4	'84 - '98
	DT5	'99 - '02
	DT6	'84 - '02
	DT8	'86 - '97
<b>17400-98551</b>	DT9.9	'85 - '87
	DT15C	'89 - '97
	DT15	'83 - '88
<b>17400-92D01</b>	DT8C/9.9C	'88 - '97
<b>17400-96403</b>	DT25C	'89 - '00
	DT30C	'88 - '97
<b>17400-96353</b>	DT20	'86 - '88
	DT25	'84 - '88
	DF25/30	'00 - '07
	DT30	'84 - '87
<b>17400-94701</b>	DT35/40C	'83 - '98
	DT55/65	'85 - '97
<b>17400-95351</b>	DT75/85	'85 - '00
<b>17400-94611</b>	DT115/140	'86 - '01
<b>17400-94553</b>	DT115/140	'83 - '85
<b>17400-87D11</b>	V6 2-Stroke Models	'86 - '03



## Gear Case Seal Kit

Material	Blades	Diameter
<b>25700-95D01</b>	DF25/30 (except V-Twin)	
<b>25700-95J00</b>	DF25 V-Twin	All
<b>25700-88L00</b>	DT40C/DF40/50/40A/50A/60A	All
<b>25700-87E00</b>	DF60/70 and V4 Models	'89 - '00
<b>25700-99E00</b>	DF60/70	'01 - '10
<b>25700-87L00</b>	DF70A/90A	'09 - Current
<b>25700-90J01</b>	DF90/115	All
<b>25700-92J00</b>	DF140	All
<b>25700-93J00</b>	DF150/175/200/225/250	All
<b>25700-98J00</b>	DF250SS/300	All
<b>25700-93L01</b>	DF250AP/300AP	All
<b>25700-98L01</b>	DF350A	All
<b>25700-95D01</b>	DT25C/30C	All
<b>25700-94700</b>	DT55/65	All
<b>25700-95501</b>	DT75/85	All
<b>25700-94500</b>	DT115/140	All
<b>25700-87D00</b>	V6, 2-Stroke Models	'89 - '03



## Carburetor Repair Kit

Material	Blades	Diameter
<b>13910-89J01</b>	DF25/30 (except V-Twin)	All
<b>13910-95D00</b>	DT25/30C	All
<b>13910-94400</b>	DT40/65/85/140	All
<b>13910-94701</b>	DT55/75/115	All
<b>13910-87D00</b>	V6, 2-Stroke Models	All

## ZINC ANODES FOR SALTWATER USE ONLY



**11281-94400** DF60/70 '98 - '01



**55321-90L00** DF9.9/15 '97 - '10



**55125-90J01** DF90-140 '98 - Current



**55125-98J00-0EP** DF200/225/250/300 Trim Tab



**55125-95500** DF40/50 '99 - '10  
DF40A/50A/60A '10 - Current



**55125-98J10** DF250SS '08 - Current



**55125-93L00-0EP** DF250AP/300AP '13 - Current



**55125-92J00** DF115/140 '08 - Current



**55125-96310** DF25/30 '00 - '10  
DF25 V-Twin '06 - Current



**55300-95500** DF9.9/15 '04 - '10  
'96 - '03  
DF40/50 '99 - '10  
DF40A/50A/60A '10 - Current



**55320-95311** DF25 /30 '00 - '07  
DF40/50 '99 - '08  
DF40A/50A/60A '10 - Current  
DF60/70 '01 - '08  
DF150/175 '06 - Current  
DF200/225/250/300 '04 - Current



**55320-94900** DF60 thru 300 '01 - '10



**55321-90J01** DF60-140 '98 - '08



**55321-93900** DF9.9/15 '97 - '08

## MAGNESIUM ANODES FOR FRESHWATER USE ONLY



**55321-87J11** DF8A/9.9A '10 - Current  
DF25 V-Twin '06 - Current  
DF40A/50A/60A '10 - Current  
DF70A/90A '09 - Current  
DF90/115 '01 - '08  
DF115 '09 - Current  
DF140 '02 - Current  
DF150/175 '06 - Current  
DF200/225/250 '04 - Current  
DF300 '07 - Current



**55321-93J01\*** DF300B/DF350A All models  
\*Also requires P/N 09116-06236 (Bolt)

## ALUMINUM ANODES FOR BRACKISH AND/OR SALTWATER



**55321-87J01** All Models All Years



**55321-94910** DF60 thru 140 '01 - '10  
DF150/175/200/225/250/300 '06 - Current

# ECSTAR

**The Number One Engine Oil for Suzuki Owners or any boat owner that cares about performance and protection.**

ECSTAR Suzuki Genuine Semi-Synthetic Engine Oil is scientifically formulated by Suzuki to provide the Ultimate 4-Stroke Outboard with the protection it needs to run long and strong in the harsh marine environment.

- **Special Additives Help Protect Engines in Both Salt and Fresh Water Environments**
- **Advanced Detergents Keep Engine Parts Clean**
- **Viscosity Index Improvers Help Engines Start Easily in Cold Conditions**

ECSTAR Suzuki Semi-Synthetic Marine Engine Oil exceeds NMMA FC-W requirements.

## **Suzuki Powers Dean Rojas to First Place and a \$100,000 Payday with a Championship Win**

**Major League Fishing (MLF) - Bass Pro Tour - Stage Five on Smith Lake, Alabama.**

Dean fishes out of a 21' Blazer bass boat powered by a Suzuki DF250SS and Ecstar Suzuki Genuine Oil. This combination of speed, power and reliability keeps Dean out in front of the competition and fully focused on what matters most- catching fish.





# ECSTAR OILS AND CHEMICALS



## ECSTAR Marine 4-Cycle Engine Oil

Ecstar V7000 Semi-Synthetic Oil is specifically formulated for The Ultimate 4-Stroke Outboard. Premium mineral oils and synthetic lubricants, with an additive profile designed to stand up to harsh conditions on the water. FC-W Certified. See chart for recommended oil filter and capacities.

<b>990C0-01E30-QUA</b>	1 QT. Bottle	12/Case
<b>990C0-01E30-GLN</b>	1 GL Bottle	4/Case
<b>990C0-01E30-DRU</b>	55 Gallon Drum	

Dealers: Engine Oil must be ordered separately from all Parts and Accessories. See Suzuki Connect for instructions.



### Gear Lube Pump

The Gear Lube Pump is developed to make changing the gear case oil in your lower units a whole lot easier. The pump is specially designed to fit and function with our Hypoid Gear Oil bottles and Suzuki outboard lower units.

**990C0-99001**

## Gear Oil Capacity

Model	Gear Case Oil Capacity (cc)	Gear Case Oil Capacity (oz)
DF4/6	190 ml.	6.4 oz.
DF9.9/15	175 ml.	5.9 oz.
DT9.9/15/15C	170 ml.	5.7 oz.
DF25/30	230 ml.	7.8 oz.
DF25V-Twin	420 ml.	14.2 oz.
DF40A/50A/60A/40/50	610 ml.	20.6 oz.
DF60/70	1050 ml.	35.5 oz.
DF70A/90A	850 ml.	28.7 oz.
DF90/115/140	1050 ml.	35.5 oz.
DF150/175/200/225/250/250S	1100 ml.	37.2 oz.
DF300	1100 ml.	37.2 oz.
DF300B/350A	3218 ml.	108.8 oz.
DT2/2.2 (Short Shaft)	70 ml.	2.4 oz.
DT2/2.2 (Long Shaft)	120 ml.	4.0 oz.
DT3.5	85 ml.	2.9 oz.
DT4	190 ml.	6.4 oz.
DT5/6/8	240 ml.	11.5 oz.
DT8C/9.9C/9.9CN	175 ml.	5.9 oz.
DT20/25/30/30C/35C	230 ml.	7.8 oz.
DT40	610 ml.	20.6 oz.
DT50/55/60/65	650 ml.	22.0 oz.
DT75/85	700 ml.	23.7 oz.
DT90/100	560 ml.	18.9 oz.
DT115/140	1100 ml.	37.2 oz.
DT150/175/200/225	1050 ml.	35.5 oz.

## Hypoid Gear Oil

Hypoid Gear Oil is formulated to Suzuki specifications. Available in two convenient sizes: 1 quart bottle and 5 gallon bucket. See chart for recommended gear oil capacities.

<b>990A0-01E81-01Q</b>	1 Quart	12/Case
<b>990A0-01E81-05G</b>	5 Gallon Bucket	





### Fuel Conditioner & Water Remover

Fuel Conditioner keeps stored fuel fresh for long periods of time.

990A0-02E30-12Z 12 Fluid oz. Bottle 12/Case



### Spray Cleaner & Polish

Suzuki Spray Cleaner & Polish is the ultimate "detailer in a can". It cleans dirt, road contaminants, bugs, water spots and shipping preservatives without water, leaving a "showroom shine" that helps to protect against UV damage, ozone and dirt accumulation. \*Not for Matte Black Finish on SS Models.

990A0-04E06-14Z 14 Fluid oz. 12/Case



### Performance Low VOC Brake Cleaner

Blasts away brake fluid, dirt and contaminants quickly and easily with no residue. Helps stop annoying brake squeal and chatter. Cleans disc and drum assemblies, including springs, rotors and pads. Also works great on your boat trailer!

990A0-04E15-14Z 14 oz. Can 12/Case



### Fuel Injector Cleaner

Suzuki Fuel Injector Cleaner keeps injectors clean and corrosion-free for maximum power. Dissolves gum and varnish.

990A0-02E25-12Z 12 Fluid oz. Bottle 12/Case

### Bond 1207B

1207B is used for sealing crankcases due to its outstanding resistance to heat and oil.

990A0-06E70-03Z 3.5 oz. Tube





### Thread Locks

Prevents nuts and bolts from vibrating loose. Made with the same compounds used to assemble Suzuki Products at the factory. Four strengths for different applications. Easy to use and store in individual 10cc containers with different colors for quick identification.

990A0-06E33-10C	1333B Medium Strength Bearing and Stud Lock
990A0-06E03-10C	1303 High Strength Retaining Type
990A0-06E42-10C	1342 Low Strength Frequent Repair
990A0-06E60-10C	1360 Medium Strength High Temperature Type

# MAINTENANCE AND CARE





## Marine Maintenance Kits

Suzuki Genuine Parts & Accessories is excited to introduce our new Marine Maintenance Kits. These all inclusive kits contain everything necessary for performing the recommended service. We are offering 12 individual kits that are application-specific for each engine category.

Models	Part Number	Year
DF2.5	17400-97820	2006 - 2011
DF2.5	17400-97810	2012 - Current
DF4A/6A	17400-91890	2017 - Current
DF4/6	17400-91860	2002 - 2010
DF4/6	17400-91830	2011 - 2016
DF9.9A	17400-99840	2010 - Current
DF9.9/15	17400-94810	2011 - 2013
DF9.9B/15A/20A	17400-89810	2013 - Current
DF25/30	17400-89820	2001 - 2010
DF25 V-Twin	17400-95870	2006 - Current
DF25A/30A	17400-94820	2015 - Current
DF40/50	17400-87820	Late 2006 - 2010
DF40A/50A/60A	17400-88810	2010 - Current
DF60	17400-99850	Late 2009 Only
DF50AV/60AV	17400-88820	2014 Current
DF60/70	17400-99860	2008 - Early 2009
DF60/70	17400-99870	2007 Only
DF70A/80A/90A	17400-87810	2009 - Current
DF115	17400-92840	2010 - 2012
DF115A/140A/115SS	17400-92821	2013 - Current
DF140	17400-92850	2010 - 2012
DF150/175/150SS	17400-96822	2006 - Current
DF150A/175A/200A	17400-96830	2016 - Current
DF200/225/250 - V6	17400-93852	2011 - Current
DF250AP/300A/300AP/250SS	17400-98862	2011 - Current
DF300B/DF350A	17400-98870	2017 - Current
<b>Kit Contents*</b>	Oil Filter	12/Case
	Spark Plugs	12/Case
	Water Pump Kit	12/Case
	Fuel Filter	12/Case
	Water Pump Case Sleeve	12/Case
	Anodes	12/Case
	Cotter Pin	12/Case
	Gaskets	12/Case
	O-Ring	12/Case

\*Kit contents will vary slightly depending on the application.

## Oil Filters And Capacities

Suzuki Genuine Parts & Accessories is excited to introduce our new Marine Maintenance Kits. These all inclusive kits contain everything necessary for performing the recommended service. We are offering 12 individual kits that are application-specific for each engine category.

Models	Filter Part Number	Oil Capacity w/out Filter L/QT	Oil Capacity w/Filter L/QT
DF9.9/15 '96 - '10	16510-05240*	1.0/1.1	1.1/1.2
DF9.9T/9.9TH/9.9B/15/15A/20A '11 - Current	16510-45H10	1.0/1.1	1.1/1.2
DF9.9A	16510-05240	.8/ .85	.9/ .95
DF25/30	16510-87J00	1.5/1.6	1.6/1.7
DF25V-Twin	16510-87J00	1.5/1.6	1.8/1.9
DF25A/30A	16510-87J00	3.0/3.2	3.2/3.4
DF40/50	16510-87J00	2.2/2.3	2.4/2.5
DF60/70	16510-87J00	4.5/4.8	4.8/5.1
DF40A/50A/60A	16510-87J00	2.7/3.0	2.9/3.2
DF70A/90A '09 - '10	16510-61A21-MHL	4.2/4.0	4.4/4.7
DF70A/90A '11 - Current	16510-61A31	4.2/4.0	4.4/4.7
DF90/115	16510-61A21-MHL	5.5/5.8	5.7/6.0
DF115A/140A	16510-61A31	5.5/5.8	5.7/6.0
DF140	16510-82703	5.5/5.8	5.7/6.0
DF150/175/200A	16510-96J10	8.0/8.5	8.5/9.0
DF200/225/250 ~ '07	16510-96J10	8.0/8.5	8.2/8.7
DF200/225/250/300	16510-96J10	8.0/8.5	8.2/8.7
DF300B/350A	16510-96J10	7.8/8.2	8.0/8.5

## Recommended Oil Change Periods

1st 20 hours	Every 100 hours	Every 200 hours
<b>Oil &amp; Filter</b>	<b>Oil</b>	<b>Oil &amp; Filters</b>

## Oil Change Necessities

Models	Drain Plug	Drain Plug/Gasket
DF2.5	09248-10008	09168-10022
DF4/6	09248-10008	09168-10022
DF9.9A	09248-12009	09168-12017
DF9.9B/15A/20A	09248-12009	09168-12017
DF25/30	09248-12009	09168-12012
DF25 V-Twin	09248-12009	09168-12012
DF25A/30A	09248-12009	09168-12017
DF40A/50A/60A	09248-12009	09168-12012
DF70A/90A	09248-12009	09168-12012
DF90/115/115A/140/140A	09248-12009	09168-12012
DF150/175/200A	09248-12009	09168-12012
V6 Models (Includes DF300B/350A)	09248-12009	09168-12012

## Bulk Oil Filters

All Bulk Packs contain 24 oil filters. They are not individually wrapped. Only meant for service departments, not resale.

Bulk Pack Part Number	Oil Filter Part Number
16510-61831-B24	16510-61A31
16510-82803-B24	16510-82703
16510-87800-B24	16510-87J00
16510-96800-B24	16510-96J10
16510-96801-B24	



# MAINTENANCE AND CARE



## Flush Hose Attachment

See Owners Manual or Service Manual on how to use the flush attachments.

55181-95200

All 2-Stroke Models  
DF4 thru DF15 4 Stroke Models



## Suzuki Super Grease

Multi-purpose, lithium grease is heat and water resistant, anti-wear.

99000-25480



## Water Resistant Grease

Use on oil seal lips, links and joints of the engine that are below the waterline.

99000-25350

8.8 oz. Tube



## Silicone Seal

A clear adhesive sealer with a silicone base.

93691-80030

3.5 oz. Tube

## Spark Plugs

Models	Part Number	Spark Plug
DF2.5	09482-00406	CR6HSA
DF4/6 - '03 - '10	09482-00299	BPR6ES
DF4/6 - '11	09482-00L04	CR6EEA-9
DF9.9A	09482-00528	CR6E
DF9.9/15 - up to '04	09482-00446	DCPR6E
DF9.9/15 - '04-'10	09482-00427	BKR6E
DF9.9/15 - '11	09482-00L04	CPR6EA-9

Models	Part Number	Spark Plug
DF25A/30A	09482-00446	DCPR6E
DF25 V-TWIN	09482-00427	BKR6E
DF40/50	09482-00446	DCPR6E
DF60/70	09482-00299	BPR6ES
DF40A/50A/60A	09482-00446	DCPR6E
DF70A/90A	09482-00446	DCPR6E
DF90/115/115A/140/140A	09482-00427	BKR6E
DF150/175	09482-00427	BKR6E
DF200A/200AP	09482-00649	LKR6E
DF200/225/250	09482-00427	BKR6E
DF250SS	09482-00427	BKR6E
DF300A	09482-00427	BKR6E
DF300B/DF350A	09482-00642	ILZKR7D8



## Drain Plug Sealing Gaskets

Models	Part Number
59178-97J00	25/30A
09168-10022	40-140A (excluding 70/90)
09168-10034	70/90A, 150-350



## Touch-Up Paint

If you need touch-up paint for your outboard, please visit [www.colorrite.com](http://www.colorrite.com).

Outboard	Code
Shadow Black Metallic	OEP
Nebular Black	YAY
Cool White Outboards	Y5S
2 Stroke Charcoal	OED
Warm Silver (DF350A)	20H
Metallic Matte Black	YKV

# ENGINE COVERS



## Engine Covers

Custom-fit Engine Covers feature Sunbrella® UV resistant, water-repellent fabric and silk screened Suzuki graphics.

990C0-65012	DF2.5	
990C0-65013	DF4A/6A	
990C0-65014	DF9.9A/9.9B/15A/20A	2012 - Current
990C0-65009	DF25A/30A	
990C0-65015	DF40A/50A/60A	2011 - Current
990C0-65001	DF40/50	2010 and prior
990C0-65016	DF70A/90A	2009 - Current
990C0-65010	DF115A/140A	2012 - Current
990C0-65004	DF140	2002 - 2011
990C0-65006	DF150/175	2006 - Current
990C0-65005	DF225/250	Will not fit DF250AP
990C0-65011	DF150A/175A/200A	Will not fit DF150/175
990C0-65008	DF250AP/300/300AP	2007 - Current
990C0-65017	DF300B/350A	All Models





## Splash Covers

Suzuki vented Splash Covers are custom made, tight-fitting covers that are designed to protect the outboard engine cowlings and decals from sun, spray, salt, birds, errant fish hooks, and anything else that can compromise the factory finish while the engine is running. The Polysoft II fabric is a breathable, marine grade fabric that is 95% waterproof and 5% breathable which ensures that moisture will not be trapped under the cover. This 100% woven polyester fabric is UV stabilized to resist fading and rotting. The soft non-woven lining will not scuff or damage your cowling when installed. Splash Covers are easy to clean and will be sure to turn heads! Please note: all engine covers 150hp and up will have gray graphics, while all engine covers 140hp and below (including DF4/6 carry bag) will have red graphics.

### Gray Graphics-Black Cover

990C0-66000-BLK	DF150SS/150/175
990C0-66001-BLK	DF225/250 - V6
990C0-66002-BLK	DF150A/175A/200SS/200A
990C0-66003-BLK	DF250AP/300AP
990C0-66005-BLK	DF300B
990C0-66004-BLK	DF350A

### Gray Graphics-White Cover

990C0-66005-WHT	DF300B
990C0-66004-WHT	DF350A

### Red Graphics-Black Cover

990C0-67000-BLK	Carry bag for DF4A/6A
990C0-67001-BLK	DF90/115
990C0-67002-BLK	DF115SS/115A/140A
990C0-67003-BLK	DF140

# MARINE STYLE



## SUZUKI APPAREL LINEUP



## CASUAL BOATING APPAREL

**New Huk  
Co-Branded  
Apparel**



### Men's Packable Rain Jacket

Huk 100% Water proof 100% wind proof quick drying breathability

990C0-15000-__	Black
	XSM, SML, MED, LRG, 1XL, 2XL, 3XL



### Men's Black 1/4 Zip Pullover-Fleece

Huk Designed with anti-microbial treatment that inhibits and kills the growth of odor causing microorganisms

990C0-15001-__	Black
	XSM, SML, MED, LRG, 1XL, 2XL, 3XL



### Men's Black Polo

Huk Performance Polo 90% Polyester 10% spandex

990C0-18000-__	Black
	XSM, SML, MED, LRG, 1XL, 2XL, 3XL



### Men's White/Gray Lowpro Raglan Long Sleeve

Huk Long Sleeve performance fabric sun blocking +30 UPF, 90% polyester 10% spandex

990C0-16100-__	White/Gray
	XSM, SML, MED, LRG, 1XL, 2XL, 3XL



### Men's Black/Gray Lowpro Raglan Long Sleeve

Huk Long Sleeve performance fabric sun blocking +30 UPF, 90% polyester 10% spandex

990C0-16101-__	Black/Gray
	XSM, SML, MED, LRG, 1XL, 2XL, 3XL



### Men's Black Next Level Shorts

Huk performance shorts anti-microbial sun protection breathability 55% cotton 35% polyester and 10% spandex

990C0-11000-__	Black
	SML, MED, LRG, 1XL, 2XL, 3XL



### Women's Black Icon Long Sleeve Hoodie

Huk Long Sleeve Hoodie I.C.E. Technology anti-microbial sun blocking +30 UPF, 100% polyester

990C0-13000-__	Black
	XSM, SML, MED, LRG, 1XL, 2XL, 3XL



### Women's Black Icon Long Sleeve

Huk Long Sleeve I.C.E. Technology anti-microbial sun blocking +30 UPF, 100% polyester

990C0-16102-__	Black
	XSM, SML, MED, LRG, 1XL, 2XL, 3XL



### Black Trucker Hat

Huk mesh snap-back trucker cap

990C0-17200	Black
	One Size Fits Most



### White Trucker Hat

Huk mesh snap-back trucker cap

990C0-17201	White
	One Size Fits Most



### Suzuki Marine Stretch-Fit Visor

The Stretch-Fit Visor is draped in Suzuki colors and features embroidered logos. This one-size fit most visor has an elastic band. Order in quantities of 3.

990C0-17005	White/Black
	S/M Stretch



### 3D Red "S" Gradation Cap

Flex-Fit X-Cap with 3D Red "S" Logo. Order in quantities of 3.

990A0-17107	Black/Red Logo
	One Size Fits Most



### Vintage Trucker

The Suzuki Vintage Snap-back Hat features a black snap-back hat with the vintage Suzuki logo screen printed on the front panel. Order in quantities of 3.

990A0-17150	One Size Fits Most
-------------	--------------------



### Suzuki Mark Trucker

The Suzuki Mark Snap-back Hat features a grey snap-back hat with a black bill, with a black Suzuki "S" patch sewn on the front panel. Order in quantities of 3.

990A0-17151	One Size Fits Most
-------------	--------------------



### Suzuki Sideways Hat

3-D Embroidered Suzuki Logo. Order in quantities of 3.

990A0-17138	Suzuki Sideways Hat
	One Size Fits Most



### 3D Red "S" Gradation Cap

Flex-Fit X-Cap with 3D Red "S" Logo. Order in quantities of 3.

990A0-17107	Black/Red Logo
	One Size Fits Most



### 3D Blue "S" Gradation Cap

Flex-Fit X-Cap with 3D Blue "S" Logo. Order in quantities of 3.

990A0-17108	Black/Blue Logo
	One Size Fits Most



### Women's Suzuki Icon Tee

Womens domain 60% cotton 40% poly 4 oz. combed ring-spun screen printed front.

990A0-16257-__	Royal Blue
	SML, MED, LRG, 1XL



### Women's Suzuki Stripes Tee

Women's crew t-shirt 60% Cotton 40% poly 4.3 oz combed ring-spun screen printed front and sleeve.

990A0-16256-__	Royal Blue
	SML, MED, LRG, 1XL



### Ladies '86

100% Cotton. Tagless neck label. Screen-print on front.

990A0-16224-__	Gray
	SML, MED, LRG, 1XL, 2XL



### Women's Suzuki Hoodie

Womens hooded sweatshirt 60% cotton 40% poly 6.5oz lightweight fleece screen printed graphics.

990A0-15074-__	Aquamarine
	SML, MED, LRG, 1XL

# MARINE STYLE



## Pro Fishing Marlin Short and Long Sleeves

4.5-ounce, 50/25/25 poly/combed ring spun combed cotton/rayon, standard fit T-Shirt.

<b>990C0-16011-</b> ___	Gray Short Sleeve
	SML, MED, LRG, 1XL, 2XI, 3XL
<b>990C0-16004-</b> ___	Blue Long Sleeve
	SML, MED, LRG, 1XL, 2XI, 3XL

## Pro Fishing Bass Short and Long Sleeves

4.5-ounce, 50/25/25 poly/combed ring spun combed cotton/rayon, standard fit T-Shirt.

<b>990C0-16015-</b> ___	Gray Short Sleeve
	SML, MED, LRG, 1XL, 2XI, 3XL
<b>990C0-16006-</b> ___	Gray Long Sleeve
	SML, MED, LRG, 1XL, 2XI, 3XL



### Suzuki Logo Tee

100% Ringspun Cotton. Screen-printed logo on front.

<b>990A0-16242-__</b>	Blue
	SML, MED, LRG, 1XL, 2XL

<b>990A0-16243-__</b>	Black
	SML, MED, LRG, 1XL, 2XL

### Pro Fishing Marlin Short and Long Sleeves

4.5-ounce, 50/25/25 poly/combed ring spun combed cotton/rayon, standard fit T-Shirt.

<b>990C0-16001-__</b>	Gray Short Sleeve
	SML, MED, LRG, 1XL, 2XL, 3XL
<b>990C0-16004-__</b>	Blue Long Sleeve
	SML, MED, LRG, 1XL, 2XL, 3XL



### Suzuki Ecstar Polo

3.8 oz polyester tricot, snag resistant, moisture wicking, tag free label. Features and embroidered Suzuki logo on left chest and ECSTAR logo on the left sleeve.

<b>990A0-18127-__</b>	Men's Black	SML, MED, LRG, 1XL, 2XL, 3XL
<b>990A0-18128-__</b>	Men's Blue	SML, MED, LRG, 1XL, 2XL, 3XL
<b>990A0-18129-__</b>	Men's Gray	SML, MED, LRG, 1XL, 2XL, 3XL
<b>990A0-18130-__</b>	Women's Black	SML, MED, LRG, 1XL
<b>990A0-18131-__</b>	Women's Blue	SML, MED, LRG, 1XL
<b>990A0-18132-__</b>	Women's Gray	SML, MED, LRG, 1XL

# MARINE STYLE



## Shutter

Suzuki Shutter Premium T-Shirt features screen printed graphics on the chest and back on a navy T-Shirt. Standard fit.

990A0-16245-___	Navy
	MED, LRG, 1XL, 2XL



## Suzuki Wedge

Royal/White, Men's 3/4 raglan, 50% poly, 25% cotton, 25% rayon, 4.3 oz, Screen printed front and back

990A0-16290-___	Royal/White
	MED, LRG, 1XL, 2XL



## Suzuki Big S

Black Men's crew T-shirt, 100% cotton 6 oz. Jersey, Screen printed front, side and sleeve

990A0-16281-___	Black
	MED, LRG, 1XL, 2XL



## Sun

Navy premium soft cotton T-Shirt with graphics screen printed on the front.

990A0-16246-___	Navy
	MED, LRG, 1XL, 2XL



## Suzuki Performance Dri-Core Tee

The Suzuki Performance Dri-Core Shirt features moisture wicking performance. The Dri-Core Moisture Control System wicks sweat away to keep you cool, dry and light. Durability and comfort polyester construction. Screen printed logos on left chest.

990A0-16251-___	Black
	MED, LRG, 1XL, 2XL



## 'S' Bar

The Suzuki S-Bar T-Shirt features a charcoal T-Shirt, with the Suzuki "S" screen printed on the chest. Suzuki logotype is printed on the bottom.

990A0-16247-___	Gray
	MED, LRG, 1XL, 2XL



### Suzuki Camo

Camo hooded pullover sweatshirt, 70% cotton 30% poly, 10 oz. heavy weight fleece, screen printed graphics

990A0-15069-___	Camo
	MED, LRG, 1XL, 2XL



### Mechanics Shirts

65% Polyester, 35% Cotton. Features the SUZUKI logo embroidered on the left chest and Suzuki 'S' on right sleeve.

990A0-18112-___	Navy
	SML, MED, LRG, 1XL, 2XL, 3XL, 4XL
990A0-18113-___	Charcoal
	SML, MED, LRG, 1XL, 2XL, 3XL, 4XL



### Suzuki Light Pullover

Suzuki Light-Weight Pullover Hoodie features heather-grey jersey cotton with Suzuki branding screen printed on the chest.

990A0-15071-___	Gray
	MED, LRG, 1XL, 2XL



### Suzuki Sherpa

Black Sherpa lined hooded zip-up sweatshirt, 80% cotton 20% poly 8.5 oz. Fleece exterior, chest and sleeve patches

990A0-15068-___	Black
	MED, LRG, 1XL, 2XL




### Suzuki Flannel 2.0

Button-up shirt 80% cotton 20% poly 5.4 oz woven flannel button flap pockets, button cuffs, chest label.

990A0-18115-___	Navy/Gray
	MED, LRG, 1XL, 2XL

# MARINE STYLE



## Hat Black

100% cotton twill with polymesh back

990C0-17160 Black

## Beanie Black

100% Acrylic knit.

990C0-17181 Black



## Beanie Gray

100% Acrylic knit.

990C0-17180 Gray



## Suzuki Nested Logo Tee

60% cotton-40% polyester knit blend.

990A0-16265-___	Black
	SML, MED, LRG, 1XL, 2XL



## Suzuki Center Red "S" Tee

60% cotton-40% polyester knit blend.

990A0-16266-___	Gray
	SML, MED, LRG, 1XL, 2XL



## Suzuki Team

Royal Men's crew T-shirt, 100% cotton 6 oz. Jersey screen printed front, side and sleeve

990A0-16280-___	Royal
	MED, LRG, 1XL, 2XL



## Suzuki Vintage

Black-White, Men's 3/4 raglan shirt, 100% cotton, 6 Oz. Jersey, screen printed front

990A0-16289-___	Black/White
	MED, LRG, 1XL, 2XL



### Suzuki Soft Shell Jacket

Navy Soft-Shell Jacket, 100% Polyester water resistant, micro fleece lining, scuba hood, media pocket, chest print and sleeve patch

990A0-15101-___	Navy
	MED, LRG, 1XL, 2XL



### Suzuki Horizon

Royal Charcoal, hooded pullover sweatshirt, 80% cotton 20% poly 7 oz. Mid-weight fleece, screen printed graphics, contrasting draw-cords

990A0-15107-___	Black
	MED, LRG, 1XL, 2XL



### Suzuki Logo

Black hooded pullover sweatshirt, 80% cotton 20% poly, 7 Oz. Mid-weight fleece, screen printed graphics.

990A0-15104-___	Black
	MED, LRG, 1XL, 2XL



### Suzuki Sun

Black Hooded Zip Up Sweatshirt, 80% cotton, 20% poly 8.5 oz. Mid-weight fleece, Screen printed graphics.

990A0-15106-___	Black
	MED, LRG, 1XL, 2XL



### Sublimated Polo Dark Gray

100% performance knit polyester.

990A0-18134-___	Gray
	SML, MED, LRG, 1XL, 2XL, 3XL



### Logo Polo Black

100% performance knit polyester.

990A0-18135-___	Black
	SML, MED, LRG, 1XL, 2XL, 3XL



### Suzuki UPF Sun Shirt Gray

100% performance knit polyester.

990A0-16267-___	Gray
	SML, MED, LRG, 1XL, 2XL



### Softshell Jacket

100% polyester bonded waterproof shell.

990A0-15100-___	Black
	MED, LRG, 1XL, 2XL

# GIFTS AND COLLECTIBLES



## Suzuki Key Fobs

Made of flexible rubber, Key Fob features the Suzuki Corporate Logo. Dealers order in packs of 3.

990A0-19113	Suzuki 'S' Logo
990A0-19112	Suzuki Logo



## Suzuki Coffee Mug

This 16 oz Mug features an extra large comfort-grip handle.

990A0-99184



## Suzuki Umbrella

Protect yourself from the weather with a Suzuki Umbrella.

990A0-99178



## Suzuki Logo Can Koozie

Keep your favorite drink cold in this Suzuki Can Koozie! Sublimated Suzuki Logo resists fading or chipping.

990A0-19206



### Suzuki Shelter

Protect yourself and your gear from the elements while outside. These canopies feature durable canvas covers, aluminum frames, and silk screened Suzuki branding. When you're ready to pack it up for the day, simply fold it down and store them in their own canvas carrying case.

990A0-99277



### Suzuki Tables

Perfect for any garage or shop, Suzuki branded tables feature chrome plated steel tubing and melamine coated tops.

990A0-96383 Suzuki Logo Table

990A0-99387 Ecstar Logo Table



### Suzuki Stools

Dress up your garage or shop with these comfortable padded stools. Each stool is covered in an easy to clean vinyl material and features Suzuki branding and are constructed using chrome plated steel tubing.

990A0-95525 Suzuki Logo Stool

990A0-95529 Ecstar Logo Stool



### Garage & Shop Mats

Light and strong 100% olefin carpet pil with non-skid vinyl backing and 1-inch tapered border. 36 inch x 60 inch

990A0-95535 Suzuki Logo Mat

990A0-95539 Ecstar Logo Mat

# GIFTS AND COLLECTIBLES



## Suzuki OGIO 9800 Gear Bag

Ideal for travel around the country, this Gear Bag has plenty of capacity for your gear and features OGIO's SLED system for strength and durability.

990A0-19075

## Suzuki Logo Die-Cut Decals

Thermal die-cut vinyl Official Suzuki Logo available in sizes from 4" to 20". Dealers order in packs of 5.

99950-19245-MED	Suzuki Logo	12"
99950-19245-LRG	Suzuki Logo	20"



## Suzuki Merchandise Bags

Available in your choice of paper or plastic with Suzuki graphics in 500 piece packages.

99950-19371	Paper	12" H x 6" W
99950-19372	Plastic	13" H x 12" W



### Suzuki String Pennant

50 foot String Pennants are made with a durable 4mm vinyl.

990A0-99303-WHT	50' String Pennant
-----------------	--------------------



### Vinyl Banners

Suzuki banners are a great way to increase the presence of Suzuki in and outside of your dealership. They are also great for events.

990A0-99301-WHT	4' x 20'
990A0-99302-WHT	3' x 10' Banner



### Suzuki Logo Decals

Suzuki Decals are made with durable 15 mil, UV resistant coated vinyl decals. All Decals are sold in QTYs of 1.

990A0-99290-006	6"
990A0-99290-012	12"
990A0-99290-024	24"
990A0-99290-048	48"



### "S" Logo Sheet

High quality premium decals are a great way to personalize your belongings.

99000-990AB-S01	Suzuki Logo
99000-990AB-S02	Ecstar Logo



# APPLICATION CHART



## DF9.9/15 ('96 - Current)

Side Mount Control Box	<b>67200-91J20</b>	'05 - Current
Remote Control Attaching Kit	<b>67130-94J11</b>	'05 - Current
Remote Control Cables	<b>99105-11002-OXX*</b>	2 req'd
Harness, Remote Control	<b>36630-89E02***</b>	'96 - '04
Main Harness	<b>36620-89L00</b>	'05 - Current
Water Pump Repair Kit	<b>17400-93951</b>	'96 - '06
	<b>17400-94J00</b>	'07 - Current
Steering Bracket Attachment	<b>67720-93E00</b>	
Tilt-Tube Attachment	<b>41141-89E00</b>	
Rectifier Set	<b>32800-95D01</b>	'96 - '04
	<b>32800-94J11</b>	'05 - Current
Rectifier Regulator	<b>32801-94J01</b>	'05 - Current
Battery Charging Kit	<b>32000-94J01</b>	'05 - Current
Optional Lighting Coil Set	<b>32120-93E10</b>	'96 - '04
Choke Solenoid	<b>38610-93E00</b>	'96 - '04
Bolts	<b>01550-06167</b>	2 req'd
Starter Motor Set	<b>31101-95D20-OEP</b>	'96 - '03
	<b>31100-94J22</b>	'05 - Current
Stator, 120W	<b>32120-94J10</b>	'06 - Current
Flywheel, Ring Gear Type	<b>32102-94J10</b>	'05 - Current
Propeller Hardware Kit	<b>57630-93900</b>	
Drag Link Assembly	<b>67701-93E12</b>	'97 - Current
Spark Plug DCPR6E	<b>09482-00446</b>	up to '04
	<b>09482-00427</b>	'04 - Current
	<b>09482-00L04</b>	'11 - Current
Oil Filter DF9.9/15	<b>16510-05240</b>	'96 - Current
	<b>16510-45H10</b>	'11 - Current



## DF4/6 ('03 - Current)



## DF9.9A ('10 - Current)

Side Mount Control Box	<b>67200-94J20</b>	
Remote Control Attaching Kit	<b>67130-91J02</b>	
Rectifier Set	<b>32801-91J01</b>	
Water Pump Repair Kit	<b>17400-98661</b>	'03 - '10
	<b>17400-98661</b>	'11 - Current
Battery Charging Kit	<b>32000-91J01</b>	
Receptacle	<b>39600-91J00</b>	
Spark Plug BPR6ES	<b>09482-00299</b>	'03 - '10
	<b>09482-00L04</b>	'11 - Current

Side Mount Control Box	<b>67200-91J20</b>	
Remote Control Attaching Kit	<b>67130-99J01*</b>	
Water Pump Repair Kit	<b>17400-99J01</b>	
Electric Starter Set	<b>31000-99J00</b>	
Battery Charging Kit	<b>32000-99J00</b>	
Oil Filter	<b>16510-05240</b>	'10
	<b>16510-45H10</b>	'11 - Current
Drag Link	<b>67701-99J02</b>	
Propeller Hardware Kit	<b>57630-99J00</b>	
Spark Plug CR6E	<b>09482-00528</b>	

\*Clamp Bracket Set 41100-99J00-OEP required to install.






## DF9.9B/15A/20A ('12 - Current)

Side Mount Control Box	<b>67200-94J20</b>	
Single Binnacle Kit	<b>67000-88L01</b>	
Flush Mount Kit	<b>67000-93J28</b>	
Remote Control Attaching Kit	<b>67130-95J02</b>	DF9.9B/15A
Remote Control Cables	<b>67130-89L06</b>	DF20A
Remote Control Cables	<b>99105-11002-0XX*</b>	2req'd
Single Binnacle	<b>67200-88L00</b>	
Flush Mount	<b>67200-93J33</b>	
Wire Harness 16'	<b>36620-93J52</b>	
Wire Harness 21'	<b>36620-93J02</b>	
Wire Harness 26'	<b>36620-93J62</b>	
Ignition Sw. Panel Assy.	<b>37100-96J00</b>	
Ing. Sw. Emg. Stop/Buzzer	<b>37100-96J25</b>	
Warning Buzzer	<b>38500-92X50</b>	
Emergency Stop Assy.	<b>37803-93J05</b>	
Water Pump Repair Kit	<b>17400-94J00</b>	
Drag Link Kit	<b>67700-95J01</b>	
Propeller Hardware Kit	<b>57630-93900</b>	
Spark Plug DCPR6E	<b>09482-00446</b>	'11 - Current

# SUZUKI



## DF25/30 ('06 - Current)

Side Mount Control Box	<b>67200-91J20</b>	
Single Binnacle Kit	<b>67000-88L01</b>	
Flush Mount Kit	<b>67000-93J28</b>	
Remote Control Attaching Kit	<b>67130-95J02</b>	
Remote Control Cables	<b>99105-11002-0XX*</b>	2req'd
Single Binnacle	<b>67200-88L00</b>	
Dual Binnacle	<b>67200-88L10</b>	
Flush Mount	<b>67200-93J33</b>	
Wire Harness 16'	<b>36620-93J52</b>	
Wire Harness 21'	<b>36620-93J02</b>	
Wire Harness 26'	<b>36620-93J62</b>	
Ignition Sw. Panel Assy.	<b>37100-96J00</b>	
Ing. Sw. Emg. Stop/Buzzer	<b>37100-96J25</b>	
Warning Buzzer	<b>38500-92X50</b>	
Emergency Stop Assy.	<b>37803-93J05</b>	
Water Pump Repair Kit	<b>17400-95J02</b>	
Drag Link Kit	<b>67700-95J01</b>	
Propeller Hardware Kit	<b>57630-96300</b>	
Spark Plug BKR6E	<b>09482-00427</b>	

### Specific Application Notes:

\* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

\*\* Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

\*\*\* Under-Hood Electric Start Harness

# APPLICATION CHART



## DF70A/90A ('09 - Current)

Side Mount Control Box	<b>67200-93J51**</b>	
Single Binnacle Kit	<b>67000-88L01</b>	
Dual Binnacle Kit	<b>67000-88L11</b>	
Flush Mount Kit	<b>67000-93J28</b>	
Remote Control Cables	<b>99105-11002-0XX*</b>	2 req'd
Single Binnacle	<b>67200-88L00</b>	
Dual Binnacle	<b>67200-88L10</b>	
Flush Mount	<b>67200-93J33</b>	
Wire Harness 16'	<b>36620-93J52</b>	
Wire Harness 21'	<b>36620-93J02</b>	
Wire Harness 26'	<b>36620-93J62</b>	
Power Trim/Tilt Sw.	<b>37805-93J00</b>	
Ignition Sw. Panel Assy.	<b>37100-96J00</b>	
Dual Ign. Sw. Panel Assy	<b>37100-96J15</b>	
Ing. Sw. Emg. Stop/Buzzer	<b>37100-96J25</b>	
Warning Buzzer	<b>38500-92X50</b>	
Emergency Stop Assy.	<b>37803-93J05</b>	
Dual Engine Tie Bar	<b>99105-10006</b>	
Water Pump Repair Kit	<b>17400-87L01</b>	
Tiller Handle Kit	<b>63002-87L06-0EP</b>	'09 - Current
Tiller Handle Kit with Tach	<b>63002-87L15-YAY</b>	
Drag Link Kit	<b>67701-87L01</b>	
Propeller Hardware Kit	<b>57630-90J00</b>	
Spark Plug	DCPR6E	<b>09482-00446</b>

## DF40A/50A/50AV/60A/60AV ('10 - Current)

Side Mount Control Box	<b>67200-93J51**</b>	
Single Binnacle Kit	<b>67000-88L01</b>	
Dual Binnacle Kit	<b>67000-88L11</b>	
Flush Mount Kit	<b>67000-93J28</b>	
Remote Control Cables	<b>99105-11002-0XX*</b>	2 req'd
Single Binnacle	<b>67200-88L00</b>	
Dual Binnacle	<b>67200-88L10</b>	
Flush Mount	<b>67200-93J33</b>	
Wire Harness 16'	<b>36620-93J52</b>	
Wire Harness 21'	<b>36620-93J02</b>	
Wire Harness 26'	<b>36620-93J62</b>	
Power Trim/Tilt Sw.	<b>37805-93J00</b>	
Ignition Sw. Panel Assy.	<b>37100-96J00</b>	
Dual Ign. Sw. Panel Assy	<b>37100-96J15</b>	
Ing. Sw. Emg. Stop/Buzzer	<b>37100-96J25</b>	
Warning Buzzer	<b>38500-92X50</b>	
Emergency Stop Assy.	<b>37803-93J05</b>	
Dual Engine Tie Bar	<b>99105-10006</b>	
Steering Tensioner	<b>43770-99E03</b>	
Water Pump Repair Kit	<b>17400-88L00</b>	
Tiller Handle Kit	<b>63002-88L08-0EP</b>	
Tiller Handle Kit with Tach	<b>63002-88L24-YAY</b>	DF40A/50A
	<b>63002-88L14-YAY</b>	DF60A
Drag Link Kit	<b>67701-87J11</b>	
Propeller Hardware Kit	<b>57630-94301</b>	
	<b>57630-90J00</b>	DF50AV/60AV
Spark Plug	DCPR6E	<b>09482-00446</b>



## DF40A/50A/50AV/60A/60AV ('10 - Current)

Side Mount Control Box	<b>67200-93J51**</b>	
Single Binnacle Kit	<b>67000-88L01</b>	
Dual Binnacle Kit	<b>67000-88L11</b>	
Flush Mount Kit	<b>67000-93J28</b>	
Remote Control Cables	<b>99105-11002-0XX*</b>	2 req'd
Single Binnacle	<b>67200-88L00</b>	
Dual Binnacle	<b>67200-88L10</b>	
Flush Mount	<b>67200-93J33</b>	
Wire Harness 16'	<b>36620-93J52</b>	
Wire Harness 21'	<b>36620-93J02</b>	
Wire Harness 26'	<b>36620-93J62</b>	
Power Trim/Tilt Sw.	<b>37805-93J00</b>	
Ignition Sw. Panel Assy.	<b>37100-96J00</b>	
Dual Ign. Sw. Panel Assy	<b>37100-96J15</b>	
Ing. Sw. Emg. Stop/Buzzer	<b>37100-96J25</b>	
Warning Buzzer	<b>38500-93J00</b>	'01 - '04
	<b>38500-92X50</b>	'05 - Current
Emergency Stop Assy.	<b>37803-93J05</b>	
Dual Engine Tie Bar	<b>99105-10006</b>	
Water Pump Repair Kit	<b>17400-90J20</b>	'01 - '05
	<b>17400-92J00</b>	'06 - '08
DF115/115A/140A	<b>17400-92J21</b>	'09 - Current
Tiller Handle Kit	<b>63002-90J29-0EP</b>	
Tiller Handle Kit with Tach	<b>63002-90J32-0EP</b>	DF115A
Drag Link Kit	<b>67701-90J01</b>	'01 - '10
Propeller Hardware Kit	<b>57630-90J00</b>	
Spark Plug	BKR6E <b>09482-00427</b>	

## DF150A/150SS/175A/200A/200SS

Side Mount Control Box	<b>67200-93J51**</b>	
Single Binnacle Kit	<b>67000-88L01</b>	
Dual Binnacle Kit	<b>67000-88L11</b>	
Flush Mount Kit	<b>67000-93J28</b>	
Remote Control Cables	<b>99105-11002-0XX*</b>	2 req'd
Single Binnacle	<b>67200-88L00</b>	
Dual Binnacle	<b>67200-88L10</b>	
Flush Mount	<b>67200-93J33</b>	
Wire Harness 16'	<b>36620-93J52</b>	
Wire Harness 21'	<b>36620-93J02</b>	
Wire Harness 26'	<b>36620-93J62</b>	
Power Trim/Tilt Sw.	<b>37805-93J00</b>	
Ignition Sw. Panel Assy.	<b>37100-96J00</b>	
Dual Ign. Sw. Panel Assy.	<b>37100-96J15</b>	
Ing. Sw. Emg. Stop/Buzzer	<b>37100-96J25</b>	
Warning Buzzer	<b>38500-92X50</b>	
Emergency Stop Assy.	<b>37803-93J05</b>	
Water Pump Repair Kit	<b>17400-96J02</b>	
Drag Link Kit	<b>67701-96J00</b>	
Propeller Hardware Kit	<b>57630-92E00</b>	
Spark Plug	BKR6E <b>09482-00427</b>	



### Specific Application Notes:

\* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

\*\* Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

\*\*\* Under-Hood Electric Start Harness

# APPLICATION CHART



## DF225/250 ('04 - Current)

Side Mount Control Box	<b>67200-93J51**</b>	'04 - Current
Single Binnacle Kit	<b>67000-88L01</b>	
Dual Binnacle Kit	<b>67000-88L11</b>	
Flush Mount Kit	<b>67000-93J28</b>	
Remote Control Cables	<b>99105-11002-0XX*</b>	2 req'd
Single Binnacle	<b>67200-88L00</b>	
Dual Binnacle	<b>67200-88L10</b>	'04 - Current
Flush Mount	<b>67200-93J33</b>	'04 - Current
Wire Harness 16'	<b>36620-93J52</b>	
Wire Harness 21'	<b>36620-93J02</b>	
Wire Harness 26'	<b>36620-93J62</b>	

Power Trim/Tilt Sw.	<b>37805-93J00</b>	
Ignition Sw. Panel Assy.	<b>37100-96J00</b>	
Dual Ign. Sw. Panel Assy	<b>37100-96J15</b>	
Ing. Sw. Emg. Stop/Buzzer	<b>37100-96J25</b>	
Warning Buzzer	<b>38500-92X50</b>	
Emergency Stop Assy.	<b>37803-93J05</b>	
Water Pump Repair Kit	<b>17400-93J02</b>	'04 - Current
Drag Link Kit	<b>67700-93J00</b>	'04 - Current
Propeller Hardware Kit	<b>57630-92E00</b>	'04 - Current
Spark Plug	BKR6E <b>09482-00427</b>	



## DF70A/90A ('09 - Current)

DF250SS '08 - Current	<b>67200-93J51**</b>	
Side Mount Control Box	<b>67200-93J51**</b>	
Single Binnacle Kit	<b>67000-88L01</b>	
Dual Binnacle Kit	<b>67000-88L11</b>	
Flush Mount Kit	<b>67000-93J28</b>	
Remote Control Cables	<b>99105-11002-0XX*</b>	2 req'd
Single Binnacle	<b>67200-88L00</b>	
Dual Binnacle	<b>67200-88L10</b>	
Flush Mount	<b>67200-93J33</b>	
Wire Harness 16'	<b>36620-93J52</b>	
Wire Harness 21'	<b>36620-93J02</b>	
Wire Harness 26'	<b>36620-93J62</b>	
Power Trim/Tilt Sw.	<b>37805-93J00</b>	
Ignition Sw. Panel Assy.	<b>37100-96J00</b>	
Dual Ign. Sw. Panel Assy	<b>37100-96J15</b>	
Ing. Sw. Emg. Stop/Buzzer	<b>37100-96J25</b>	
Warning Buzzer	<b>38500-92X50</b>	
Emergency Stop Assy.	<b>37803-93J05</b>	
Water Pump Repair Kit	<b>17400-98J01</b>	
Drag Link Kit	<b>67700-93J00</b>	
Propeller Hardware Kit	<b>57630-92E00</b>	
Gear Case Seal Kit	<b>25700-98J00</b>	
Spark Plug	BKR6E	<b>09482-00427</b>

## DF150AP/175AP/200AP

Single Engine First Station Kit	<b>67000-98JE4</b>	
Single Engine Second Station Kit	<b>67000-98JF4</b>	
Dual Engine First Station Kit	<b>67000-98JG4</b>	
Dual Engine Second Station Kit	<b>67000-98JH4</b>	
Triple Engine First Station Kit	<b>67000-98JJ4</b>	
Triple Engine Second Station Kit	<b>67000-98JK0</b>	2 req'd
Quad Engine First Station Kit	<b>67000-98J75</b>	
Quad Engine Second Station Kit	<b>67000-98J85</b>	
Flush Mount Station Kit	<b>67000-98JM2</b>	
Remote Control Assembly, Single	<b>67200-98J04</b>	
Remote Control Assembly, Multi	<b>67200-98J14</b>	
Remote Control Assembly, Flush	<b>67200-98J23</b>	
Panel Assembly, Single	<b>37100-98J11</b>	
Panel Assembly, Dual	<b>37100-98J21</b>	
Panel Assembly, Triple	<b>37100-98J31</b>	
Main Power Key Switch Assembly	<b>37100-98J05</b>	
Panel Assembly, Emergency Stop	<b>37803-93J05</b>	
Warning Buzzer	<b>38500-92X50</b>	
Water Pump Repair Kit	<b>17400-96J02</b>	
Gear Case Seal Kit	<b>25700-93J00</b>	
Drag Link Kit	<b>67701-96J00</b>	
Propeller Hardware Kit	<b>57630-92E00</b>	
Spark Plug	BKR6E	<b>09482-00427</b>
Spark Plug (DF200A)		<b>09482-00649</b>



### Specific Application Notes:

\* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

\*\* Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

\*\*\* Under-Hood Electric Start Harness

# APPLICATION CHART



## DF250AP/300/300A

Single Engine First Station Kit	<b>7000-98JE4</b>	'04 - Current	Panel Assembly, Single	<b>37100-98J11</b>	
Single Engine Second Station Kit	<b>67000-98JF4</b>		Panel Assembly, Dual	<b>37100-98J21</b>	
Dual Engine First Station Kit	<b>67000-98JG4</b>		Panel Assembly, Triple	<b>37100-98J31</b>	
Dual Engine Second Station Kit	<b>67000-98JH4</b>		Main Power Key Switch Assembly	<b>37100-98J05</b>	
Triple Engine First Station Kit	<b>67000-98JJ4</b>	2 req'd	Panel Assembly, Emergency Stop	<b>37803-93J05</b>	
Triple Engine Second Station Kit	<b>67000-98JK0</b>		Warning Buzzer Assembly	<b>38500-92X50</b>	'04 - Current
Quad Engine First Station Kit	<b>67000-98J75</b>	'04 - Current	Water Pump Repair Kit 250AP	<b>17400-98J02</b>	
Quad Engine Second Station Kit	<b>67000-98J85</b>	'04 - Current	300/300AP	<b>17400-98J01</b>	
Flush Mount Station Kit	<b>67000-98JM2</b>		Gear Case Seal Kit	<b>25700-98J00</b>	
Remote Control Assembly, Single	<b>67200-98J04</b>		Drag Link Kit	<b>67700-93J00</b>	
Remote Control Assembly, Multi	<b>67200-98J14</b>		Propeller Nut Kit	<b>57630-92E00</b>	
Remote Control Assembly, Flush	<b>67200-98J23</b>		Spark Plug BKR6E	<b>09482-00427</b>	



### DF300B/350A

Single Engine First Station Kit	<b>67000-98JE4</b>	'04 - Current
Single Engine Second Station Kit	<b>67000-98JF4</b>	
Dual Engine First Station Kit	<b>67000-98JG4</b>	
Dual Engine Second Station Kit	<b>67000-98JH4</b>	
Triple Engine First Station Kit	<b>67000-98JJ4</b>	2 req'd
Triple Engine Second Station Kit	<b>67000-98JK0</b>	
Quad Engine First Station Kit	<b>67000-98J75</b>	'04 - Current
Quad Engine Second Station Kit	<b>67000-98J85</b>	'04 - Current
Flush Mount Station Kit	<b>67000-98JM2</b>	
Remote Control Assembly, Single	<b>67200-98J04</b>	
Remote Control Assembly, Multi	<b>67200-98J14</b>	
Remote Control Assembly, Flush	<b>67200-98J23</b>	

Panel Assembly, Single	<b>37100-98J11</b>	
Panel Assembly, Dual	<b>37100-98J21</b>	
Panel Assembly, Triple	<b>37100-98J31</b>	
Main Power Key Switch Assembly	<b>37100-98J05</b>	
Panel Assembly, Emergency Stop	<b>37803-93J05</b>	
Warning Buzzer Assembly	<b>38500-92X50</b>	'04 - Current
Water Pump Repair Kit	<b>17400-98L00</b>	
Gear Case Seal Kit	<b>25700-98L01</b>	
Propeller Nut Kit	Front	<b>58540-98L00</b>
	Rear	<b>58640-98L00</b>
Spark Plug ILZKR7D8		<b>09482-00642</b>
Spark Plug BKR6E		<b>09482-00427</b>

**Specific Application Notes:**

\* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

\*\* Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

\*\*\* Under-Hood Electric Start Harness



# NOTES







**MECHANICAL AND DIGITAL CONTROLS**

**CABLES AND RIGGING**

**FUEL SYSTEM**

**PROPS**

**INSTRUMENTS AND GAUGES**

**REPAIR AND MAINTENANCE KITS**

**ECSTAR OIL AND CHEMICALS**

**ENGINE COVERS**

**SUZUKI STYLE APPAREL**

All information, illustrations, photographs and specifications contained in this catalog are based on the latest product information available at the time of publication. Due to improvements or other changes, there may be some discrepancies in this brochure. Suzuki reserves the right to make production changes at any time, without notice and without incurring any obligation to make the same or similar changes to accessories previously built or sold.

Note: Some items may require installation by an Authorized Suzuki Marine Dealer.



**SUZUKI MOTOR OF AMERICA, INC.**

3251 East Imperial Highway, Brea, CA 92821

[www.suzukimarine.com](http://www.suzukimarine.com) | [www.suzuki.com](http://www.suzuki.com)

THE UNIVERSITY OF CHICAGO PRESS